

Raymond Kaufman
Crane 5/16

A CATALOGUE
OF
BRITISH COLEOPTERA

BY
G. R. CROTCH.

CAMBRIDGE.
1863.

A CATALOGUE
OF
BRITISH COLEOPTERA

BY
G. R. CROTCH.

CAMBRIDGE.
1863.

I HAVE endeavoured to comprise in this Catalogue all the Coleoptera at present known to be natives of Great Britain; several species whose indigenous origin is doubtful will be found at the end, and concerning these, any information will be very acceptable to me. Many species of Buprestidæ, Cerambycidæ, &c., have clearly been accidentally introduced into this country, and are consequently omitted;—as are also those species registered by mistake, e.g. *Ptilium cæsum*, *Er.*; and certain species extant in the old collections, concerning whose capture nothing definite is known.

Those species which though originally introduced into this country, have now become naturalized, are indicated by having an asterisk (*) prefixed to their names.

G. R. CROTCH.

July, 1863.

CATALOGUE

OF

BRITISH COLEOPTERA.

GEODEPHAGA.

Cicindelidae.

Cicindela, *Linn.*

campestris, *Linn.*

v. *nigrita*, *Dej.*

hybrida, *Linn.*

v. *riparia*, *Dej.*

transversalis, *Dej.*

v. *maritima*, *Dej.*

sylvatica, *Linn.*

germanica, *Linn.*

Carabidae.

Elaphrides.

Notiophilus, *Dum.*

aquaticus, *Linn.*

palustris, *Dufts.*

biguttatus, *Fabr.*

semipunctatus, *Fabr.*

v. ? *quadripunctatus*, *Dej.*

rufipes, *Curt.*

geminatus, *Dej.*

v. *punctulatus*, *Wesm.*

Elaphrus, *Fabr.*

uliginosus, *Fabr.*

cupreus, *Dufts.*

lapponicus, *Gyll.*

riparius, *Linn.*

Blethisa, *Bon.*

multipunctata, *Linn.*

Loricerides.

Loricera, *Latr.*

pilicornis, *Fabr.*

Carabides.

Cychrus, *Fabr.*

rostratus, *Linn.*

Carabus, *Linn.*

intricatus, *Linn.*

nitens, *Linn.*

clathratus, *Linn.*

granulatus, *Linn.*

monilis, *Fabr.*

v. *consitus*, *Panz.*

arvensis, *Fabr.*

catenulatus, *Scop.*

nemoralis, *Ill.*

hortensis, *Fabr.*

glabratus, *Payk.*

violaceus, *Linn.*

v. *exasperatus*, *Dufts.*

v. *purpurascens*, *Fabr.*

Calosoma, *Web.*

inquisitor, *Linn.*

Nebria, *Latr.*

complanata, *Linn.*

arenaria, *Fabr.*

livida, *Linn.*

sabulosa, *Fabr.*

brevicollis, *Fabr.*

Gyllenhali, *Schh.*

v. *arctica*, *Dej.*

Pelophila, *Dej.*

borealis, *Payk.*

Leistus, *Fröh.*

spinibarbis, *Fabr.*

montanus, *Steph.*

fulvibarbis, *Dej.*

ferrugineus, *Linn.*

rufescens, *Fabr.*

Scaritides.

Clivina, *Latr.*

fossor, *Linn.*

v. ? *collaris*, *Herbst.*

Dyschirius, *Bon.*

thoracicus, *Fabr.*

obscurus, *Gyll.*

impunctipennis, *Daws.*

arenosus, *Putz.*

inermis, *Sch.*

lapponicus, *Thoms.*

nitidus, *Dej.*

politus, *Dej.*

elongatulus, *Daws.*

angustatus, *Ahr.*

jejunos, *Daws.*

salinus, *Sch.*
punctipennis, *Putz.*
æneus, *Dej.*

globosus, *Herbst.*
gibbus, *Fabr.*

Brachinides.

Brachinus, *Web.*
crepitans, *Linn.*

Dryptides.

Drypta, *Fabr.*
dentata, *Rossi.*
emarginata, *Fabr.*

Polystichus, *Bon.*
vittatus, *Br.*
fasciolatus, *Fabr.*

Odacanthides.

Odacantha, *Payk.*
melanura, *Linn.*

Lebiades.

Demetrius, *Bon.*
monostigma, *Leach.* 1819.
unipunctatus, *Germ.*
atricapillus, *Linn.*

imperialis, *Germ.*

Dromius, Bon.

longiceps, *Dej.*
linearis, *Oliv.*
meridionalis, *Dej.*
agilis, *Fabr.*

quadrinotatus, *Linn.*
quadrinotatus, *Panz.*
quadrisignatus, *Dej.*
nigriventris, *Th.*
fasciatus, *Dej.*
notatus, *Sch.*
oblitus, *Boield.*
sigma, *Rossi.*

fasciatus, *Payk.*
melanocephalus, *Dej.*

maurus, *St.*

obscuroguttatus, *Dufts.*
truncatellus, *Linn.*
foveola, *Gyll.*

quadrillum, *Dufts.*

Lebia, Latr.

cycanocephala, *Linn.*
chlorocephala, *E. H.*
crux minor, *Linn.*

Cymindis, Latr.

axillaris, *Fabr.*
homagrica, *Dufts.*
vaporariorum, *Linn.*
punctata, *Dej.*

Masoreus, Dej.

Wetterhalii, *Gyll.*
luxatus, *Dej.*

Panagaeides.

Panagaeus, *Latr.*
crux major, *Linn.*
v. trimaculatus, *Dej.*
quadripustulatus, *St.*

Chlaeniades.

Callistus, *Bon.*
lunatus, *Fabr.*

Chlaenius, Bon.

vestitus, *Payk.*
Schränkii, *Dufts.*
nigricornis, *Fabr.*
v. melanocornis, *Dej.*
holosericeus, *Fabr.*

Oodes, Bon.

helopioides, *Fabr.*

Licinides.

Licinus, *Latr.*
silphoides, *Fabr.*
depressus, *Payk.*

Badister, Clairv.

unipustulatus, *Bon.*
cephalotes, *Dej.*
bipustulatus, *Fabr.*
v. lacertosus, *St.*
humeralis, *Bon.*
peltatus, *Panz.*

Broscides.

Broscus, *Panz.*
cephalotes, *Linn.*

Miscodera, *Esch.*
arctica, *Payk.*

Pterostichides.

Pogonus, Dej.

luridipennis, *Germ.*
littoralis, *Dufts.*
chalceus, *Marsh.*
halophilus, *Nicol.*

Patrobus, Dej.

excavatus, *Payk.*
rufipes, *Gyll.*
assimilis, *Chd.*
clavipes, *Thoms.*
septentrionis, *Dej.*
v. hyperboreus, *Dej.*
rubripennis, *Thoms.?*

Sphodrus, Clairv.

leucophthalmus, *Linn.*
planus, *Fabr.*

terricola, *Herbst.*
subcyaneus, *Ill.*

Calathus, Bon.

cisteloides, *Ill.*
fulvipes, *Gyll.*
flavipes, *Dufts.*
fuscus, *Fabr.*
mollis, *Marsh.*
ochropterus, *Dej.*
melanocephalus, *Linn.*
v. alpinus, *Dej.*
v. nubigena, *Halid.*
micropterus, *Dufts.*
microcephalus, *Dej.*

piceus, *Marsh.*
rotundicollis, *Dej.*

Taphria, *Bon.*

nivalis, *Panz.*
vivalis, *Ill.*

Anchomenus, *Bon.*

angusticollis, *Fabr.*
livens, *Gyll.*

prasinus, *Thunb.*
albipes, *Fabr.*
pallipes, *Dej.*
oblongus, *Fabr.*

marginatus, *Linn.*
sempunctatus, *Fabr.*
Ericeti, *Panz.*
bifoveolatus, *Sahlb.*
parumpunctatus, *Fabr.*
gracilipes, *Dufts.*
elongatus, *Dej.*

viduus, *Panz.*
v. moestus, *Dufts.*
lugubris, *Dej.*
v. emarginatus, *Gyll.*
versutus, *St.*
atratus, *Dufts.*
v. pusillus, *Sch.*
micans, *Nicol.*
pelidnus, *Dufts.*
scitulus, *Dej.*

piceus, *Linn.*
picipes, *Fabr.*
gracilis, *St.*
fuliginosus, *Panz.*
Thoreyi, *Dej.*
v. puellus, *Dej.*
pelidnus, *Payk.*
quadripunctatus, *De G.*

Olisthopus, *Dej.*

rotundatus, *Payk.*

Stomis, *Clairv.*

pumicatus, *Panz.*

Platyderus, *Steph.*

ruficollis, *Marsh.*
depressus, *Dej.*

Pterostichus, *Er.*

cupreus, *Linn.*
v. affinis, *St.*
dimidiatus, *Oliv.*
tricolor, *Fabr.*
lepidus, *Fabr.*

picimanus, *Dufts.*

vernalis, *Panz.*
inæqualis, *Marsh.*
negligens, *Dej.*

aterrimus, *Payk.*

niger, *Schall.*
vulgaris, *Linn.*
melanarius, *Ill.*
leucophthalmus, *Fabr.*
nigrita, *Fabr.*
anthracinus, *Ill.*
gracilis, *Dej.*
minor, *Gyll.*

strenuus, *Panz.*
erythropus, *Marsh.*
pygmæus, *St. Er.*
diligens, *St.*
pullus, *Gyll.*
strenuus, *Er.*

oblongopunctatus, *Fabr.*
vitreus, *Dej.*
borealis, *Zett.*
Orinomum, *Steph.*

madidus, *Fabr.*
v. concinnus, *St.*
æthiops, *Panz.*

parumpunctatus, *Germ.*

striola, *Fabr.*

Amara, *Bon.*

fulva, *De G.*
apricaria, *Payk.*
consularis, *Dufts.*
aulica, *Panz.*
picea, *Er.*

convexiuscula, *Marsh.*

ingenua, *Dufts.*
infima, *Dufts.*
bifrons, *Gyll.*
rufocincta, *Sahlb.*

patricia, *Dufts.*

tibialis, *Payk.*
lucida, *Dufts.*
gemina, *Zimm.*
familiaris, *Dufts.*
acuminata, *Payk.*
trivialis, *Gyll.*
spreta, *Dej.*
curta, *Dej.*
lunicollis, *Schiödde.*
vulgaris, *Panz. Dej.*
communis, *Panz.*

ovata, *Fabr.*
obsoleta, *Dej.*
similata, *Gyll.*

strenua, *Er.*
plebeja, *Gyll.*

Zabrus, *Clairv.*
gibbus, *Fabr.*

Harpalides.

Dichirotrichus, *Duv.*

pubescens, *Payk.*
obsoletus, *Dej.*
dorsalis, *Dej.*

Anisodactylus, *Dej.*

binotatus, *Fabr.*
atricornis, *Steph.*
v. spurcaticornis, *Dej.*
pœciloides, *Steph.*
virens, *Dej.*

Harpalus, *Latr.*

sabulicola, *Panz.*
obscurus, *Fabr.*
stictus, *Steph.*
monticola, *Dej.*

diffinis, *Dej.*
 rotundicollis, *Fairm.*
 obscurus, *Dej.*
 punctatulus, *Dufts.*
 azureus, *Fabr.*
 v. similis, *Dej.*
 cordatus, *Dufts.*
 rupicola, *St.*
 subcordatus, *Dej.*
 puncticollis, *Payk.*
 brevicollis, *Dej.*
 cribellum, *Daws.*
 parallelus, *Dej.*

ruficornis, *Fabr.*
 griseus, *Panz.*

ignavus, *Dufts.*
 honestus, *Dufts.*
 sulphuripes, *Germ.*
 consentaneus, *Dej.*
 maxillosus, *Dej.*
 attenuatus, *Steph.*
 æneus, *Fabr.*
 v. confusus, *Dej.*
 cupreus, *Dej.*
 discoideus, *Fabr.*
 perplexus, *Gyll.*
 rubripes, *Dufts.*
 latus, *Linn.*
 fulvipes, *Fabr.*
 limbatus, *Dufts.*
 neglectus, *Dej.*
 tenebrosus, *Dej.*
 melancholicus, *Dej.*
 tardus, *Panz.*
 serripes, *Schh.*
 caspius, *Stev.*
 depressus, *Dufts.*
 semiviolaceus, *Dej.*
 servus, *Dufts.*
 anxius, *Dufts.*
 subcylindricus, *Dej.*
 v. pumilus, *Dej.*
 picipennis, *Dufts.*
 vernalis, *Fabr.*

Stenolophus, *Dej.*
 teutonius, *Schr.*
 vaporariorum, *Fabr.*
 skrimshiranus, *Steph.*
 affinis, *Bach.*

vespertinus, *Panz.*
 elegans, *Dej.*

flavicollis, *St.*
 nigriceps, *Dej.*
 dorsalis, *Fabr.*
 v. derelictus, *Daws.*
 exiguus, *Dej.*
 v. luridus, *Dej.*
 meridianus, *Linn.*
 consputus, *Dufts.*

Bradycellus, *Er.*
 cognatus, *Gyll.*
 placidus, *Gyll.*

distinctus, *Dej.*
 cordicollis, *Wesm.*
 Verbasci, *Dufts.*
 rufulus, *Dej.*
 harpalinus, *Dej.*
 collaris, *Payk.*
 similis, *Dej.*

Trechides.

Trechus, *Clairv.*
 discus, *Fabr.*
 micros, *Herbst.*

longicornis, *St.*
 littoralis, *Dej.*

lapidosus, *Daws.*
 rubens, *Fabr.*
 paludosus, *Gyll.*
 minutus, *Fabr.*
 rubens, *Dej.*
 obtusus, *Er.*
 castanopterus, *Heer.*
 rivularis, *Gyll.*
 incilis, *Daws.*

secalis, *Payk.*
 testaceus, *Fabr.*

Aepus, *Curt.*
 marinus, *Stroem.*
 Robinii, *Lab.*

Perileptus, *Sch.*
 areolatus, *Creutz.*

Bembidiades.

Tachys, *Sch.*
 bistriatus, *Dufts.*
 elongatulus, *Dej.*
 scutellaris, *Germ.*

Lymnaeum, *Steph.*
 nigropiceum, *Marsh.*
 sulcatulum, *Chd.*

Bembidium

, *Latr.*

rufescens, *Dej.*
 melanocephalum, *St.*
 quinquestriatum, *Gyll.*
 pumilio, *Dufts.*

obtusum, *St.*
 Mannerheimii, *Sahlb.*
 guttula var. *Duv.*
 guttula, *Fabr.*
 bipustulatum, *Redt.*
 æneum, *Germ.*
 biguttatum, *Fabr.*
 vulneratum, *Dej.*

Clarkii, *Daws.*
 assimile, *Gyll.*
 fumigatum, *Dufts.*

quadrinaculatum, *Linn.*
 quadriguttatum, *Fabr.*

articulatum, *Panz.*
 Sturmii, *Panz.*
 Doris, *Panz.*
 gilvipes, *St.*

Mannerheimii, *Dej.*
 Schüppelii, *Dej.*
 pusillum, *Gyll.*
 normannum, *Dej.*
 lampros, *Herbst.*
 v. velox, *Er.*
 nigricorne, *Gyll.* *

decorum, *Panz.*
 monticola, *St.*
 affine, *Steph.*
 nitidulum, *Marsh.*
 rufipes, *Gyll.*
 atrocæruleum, *Steph.*
 cyanescens, *Wesm.*

fasciolatum var. *Duv.*
 tibiale, *Dufts.*
 fasciolatum var. *Duv.*
 obsoletum, *Dej.*
 testaceum, *Dufts.*
 saxatile, *Gyll.*
 femoratum, *St.*
 bruxellense, *Wesm.*
 littorale, *Oliv.*
 rupestre, *Ill. Dej.*
 Andreæ, *Er.*
 concinnum, *Steph.*
 fluviatile, *Dej.*
 lunatum, *Dufts.*

stomoides, *Dej.*
 rufipes var. *Duv.*

pallidipenne, *Ill.*
 Andreæ, *Gyll.*

flammulatum, *Clairv.*
 undulatum, *St.*
 varium, *Oliv.*
 ustulatum, *Dej.*
 adustum, *Sch.*
 fumigatum, *Dej.*
 varium var. *Duv.*
 obliquum, *St.*
 ephippium, *Marsh.*
 pallidipenne, *Dej.*

prasinum, *Dufts.*
 olivaceum, *Gyll.*

punctulatum, *Dráp.*
 ærosum, *Er.*
 striatum, *Dej.*

paludosum, *Panz.*

Tachypus, *Lac.*

pallipes, *Dufts.*
 flavipes, *Linn.*

Cillenum, *Curt.*

laterale, *Curt.*
 Leachii, *Dej.*

HYDRADEPHA- GA.

Dytiscidae.

Haliplides.

Haliphus, *Latr.*

elevatus, *Panz.*
 obliquus, *Fabr.*
 v. maritimus, *Fairm.*
 confinis, *Steph.*
 lineatus, *Aub.*

fulvus, *Fabr.*
 ferrugineus, *Gyll.*
 flavicollis, *St.*
 impressus, *Er.*
 mucronatus, *Steph.*
 badius, *Aub.*

variegatus, *St.*
 affinis, *Steph.*
 cinereus, *Aub.*
 ruficollis, *De G.*
 impressus, *Aub.*
 fluviatilis, *Aub.*
 lineatocollis, *Marsh.*

Cnemidotus, *Ill.*

cæsus, *Dufts.*

Pelobiades.

Pelobius, *Schh.*

Hermanni, *Fabr.*

Hydroporides.

Hyphydrus, *Ill.*

ferrugineus, *Linn.*
 ovatus, *Ill.*

Hydroporus, *Clairv.*

inæqualis, *Fabr.*
 reticulatus, *Fabr.*
 quinquelineatus, *Zett.*
 decoratus, *Gyll.*

geminus, *Fabr.*

12-pustulatus, *Fabr.*
 depressus, *Fabr.*
 elegans, *Ill.*

Davisii, *Curt.*
 borealis, *Aub.*
 assimilis, *Payk.*
 affinis, *St.*
 septentrionalis, *Gyll.*
 rivalis, *Gyll.*
 assimilis, *Gyll.*
 v. Sanmarkii, *Sahlb.*
 halensis, *Fabr.*
 severus, *Clk.*
 griseostriatus, *De G.*

picipes, *Fabr.*
 ♀ v. lineellus, *Gyll.*
 parallelogrammus, *Ahr.*
 novemlineatus, *Steph.*
 ♂ Schönherri, *Aub.*
 ♀ parallelus, *Aub.*
 confluent, *Fabr.*

dorsalis, *Fabr.*
 v. figuratus, *Gyll.*
 latus, *Steph.* 1829.
 ovatus, *St.* 1835.
 erythrocephalus, *Linn.*
 ♀ v. deplanatus, *Gyll.*
 rufifrons, *Dufts.*
 derelictus, *Clk.*

planus, *Fabr.*
 pubescens, *Gyll.*
 v. piceus, *St.*
 marginatus, *Dufts.*
 xanthopus, *Steph.*
 lituratus, *Aub.*

oblongus, *Steph.*
 nitidus, *St.*
 ferrugineus, *Steph.*
 Victor, *Aub.*
 memnonius, *Nic.*
 castaneus, *Aub.*
 Gyllenhali, *Schiödte.*
 piceus, *Aub.*

celatus, *Clk.*
 melanarius, *St.*
 nigrita, *Fabr.*
 melanocephalus, *Gyll.*
 tristis, *Payk.*
 umbrosus, *Gyll.*
 angustatus, *St.*
 obscurus, *St.*
 vittula, *Er.*

ambiguus, *Aub.*
 Scalesianus, *Steph.* 1832.

pygmæus, *St.* 1835.
 palustris, *Linn.*
 tinctus, *Clk.*
 lineatus, *Fabr.*

flavipes, *Ol.*
 granularis, *Linn.*
 pictus, *Fabr.*
 lepidus, *Ol.*

Colymbetides.

Noterus, *Clairv.*

sparsus, *Marsh.*
 semipunctatus, *Fabr.*
 crassicornis, *Fabr.*

Laccophilus, *Leach.*

hyalinus, *De G.*
 minutus, *Linn.*
 variegatus, *Germ.*

Colymbetes, *Clairv.*

fuscus, *Linn.*

pulverosus, *St.*
 notatus, *Fabr.*
 bistriatus, *Berg.*
 adpersus, *Fabr.*
 exoletus, *Forst.* 1771.
 collaris, *Payk.*

Grapii, *Gyll.*

ater, *De G.*
 sexdentatus, *Schiödte.*
 obscurus, *Marsh.*
 quadriguttatus, *Aub.*
 fenestratus, *Fabr.*
 guttiger, *Gyll.*
 unguetior, *Gyll.*
 aliginosus, *Linn.*

Agabus, *Leach.*

agilis, *Fabr.*
 oblongus, *Ill.*
 arcticus, *Payk.*
 uliginosus, *Fabr.*
 femoralis, *Payk.*
 assimilis, *St.*

congener, *Payk.*
 Sturmii, *Gyll.*
 chalconotus, *Panz.*
 maculatus, *Linn.*
 abbreviatus, *Fabr.*
 didymus, *Ol.*
 brunneus, *Fabr.*
 paludosus, *Fabr.*
 bipunctatus, *Fabr.*
 conspersus, *Marsh.*
 subnebulosus, *Aub.*
 guttatus, *Payk.*
 fontinalis, *Steph.*
 melas, *Aub.*
 affinis, *Payk.*
 striolatus, *Gyll.*
 bipustulatus, *Linn.*
 sexualis, *Reiche.*

Dytiscides

Dytiscus, *Linn.*

marginalis, *Linn.*
 circumcinctus, *Ahr.*
 v. dubius, *Gyll.*
 circumflexus, *Fabr.*
 lapponicus, *Gyll.*
 punctulatus, *Fabr.*
 dimidiatus, *Berg.*

Eunectes, *Er.*

sticticus, *Linn.*

Acilius, *Leach.*

sulcatus, *Linn.*
 canaliculatus, *Nicol.*
 fasciatus, *Er.*

Hydaticus, *Leach.*

transversalis, *Fabr.*
 Hybneri, *Fabr.*

cinereus, *Linn.*

Gyrinidae.

Gyrinus, *Geoff.*

minutus, *Fabr.*

urinator, *Ill.*
 natator, *Linn.*
 v. cercurus, *Schiödte.*
 bicolor, *Payk.*
 v. angustatus, *Aub.*
 v. elongatus, *Aub.*
 celox, *Schiödte.*
 marinus, *Gyll.*
 v. dorsalis, *Gyll.*

Orectochilus, *Lac.*

villosus, *Fabr.*

PHILHYDRIDA.

Heteroceridae.

Heterocerus, *Fabr.*

rectus, *Waterh.*
 fossor, *Kiesw.?*
 arenarius, *Kiesw.*
 femoralis, *Kiesw.*
 ? flexuosus, *Steph.*

marginatus, *Fab.*
 obsoletus, *Curt.*
 lævigatus, *Panz.*
 fuscus, *Kiesw.*
 sericans, *Kiesw.*

Parnidae.

Parnides.

Parnus, *Fabr.*

prolificicornis, *Fabr.*
 auriculatus, *Ill.*

Pomatinus, *St.*

substriatus, *Müll.*

Elmides.

Limnius, *Müll.*

tuberculatus, *Müll.*

Elmis, Latr.*æneus, Müll.**Volkmaria, Panz.*
*parallelipedus, Müll.**subviolaceus, Müll.*
nitens, Er.
*orichalceus, Gyll.***Georyssidae.****Georyssus, Latr.***pygmæus, Fabr.***Hydrophilidae.****Helophorides.****Helophorus, Fabr.***rugosus, Oliv.*
nubilus, Fabr.
*intermedius, Muls.**aquaticus, Linn.*
grandis, Ill.
granularis, Linn. Er.
griseus, Herbst. Er.
granularis var. Muls.
dorsalis, Marsh? Muls.
æneipennis, Th.
aquaticus, Er.
aryernicus, Muls.
nanus, St.
quadrisingatus, Bach.
*Demoulini, Math.***Hydrochus, Ger.***brevis, Herbst.*
carinatus, Germ.
elongatus, Schall.
*angustatus, Germ.***Ochthebius, Leach.***exsculptus, Germ.*
margipallens, Latr.
*æneus, Waterh.**marinus, Payk.*
pygmæus, Fabr.
bicolon, Germ.
rufomarginatus, Er.
*exaratus, Muls.**æratuſ, Steph.*
pellucidus, Muls.
punctatus, Steph.
*hibernicus, Curt.***Hydraena, Kug.***testacea, Curt.**riparia, Kug.*
*nigrita, Germ.**gracilis, Germ.*
atricapilla, Waterh.
flavipes, St.
pygmæa, Waterh.
Sieboldi, Rosenh.
*lata, Kiesw.***Spercheides.****Spercheus, Kug.***emarginatus, Schall.***Hydrophilides.****Hydrophilus, Geoff.***piceus, Linn.***Hydrous, Br.***caraboides, Linn.***Hydrobius, Leach.***fuscipes, Linn.*
*oblongus, Herbst.**bicolor, Payk.**æneus, Germ.*
globulus, Payk.
v. bipustulatus, Marsh.
*v. ochraceus, Steph.***Philhydrus, Sol.***testaceus, Fabr.*
melanocephalus, Mls.
melanocephalus, Fabr.
nigricans, Zett.
frontalis, Er.
marginellus, Fabr.
*ovalis, Th.**lividus, Forst.*
*griseus, Fabr.***Laccobius, Er.***minutus, Linn.*
v. nigriceps, Th.
*v. decorus, Gyll.***Berosus, Leach.***spinosus, Stev.**signaticollis, Charp. 1825.*
æriceps, Curt. 1829.
luridus, Linn.
affinis, Br.
*murinus, Küst.***Limnebius, Leach.***truncatellus, Thunb.*
papposus, Muls.
truncatulus, Th.
nitidus, Marsh.
picinus, Marsh.
*minutissimus, Germ.***Chaetarthria, Steph.***seminulum, Payk.***Sphaeridiadae.****Cyclonotum, Er.***orbiculare, Fabr.***Sphaeridium, Fabr.***scarabæoides, Linn.*
bipustulatum, Fabr.
v. marginatum, Scriba.

Cercyon, Leach.

obsoletum, *Gyll.*
 hæmorrhoidale, *Fabr.*
 hæmorrhoum, *Gyll.*
 laterale, *Marsh.*
 aquaticum, *Muls.*
 palustre, *Th.*
 flavipes, *Fabr.*
 littorale, *Gyll.*
 depressum, *Steph.*
 dorsostriatum, *Th.*
 unipunctatum, *Linn.*
 quisquilius, *Linn.*
 melanocephalum, *Linn.*
 pygmæum, *Ill.*
 v. merdarium, *St.*
 terminatum, *Marsh.*
 plagiatum, *Er.*
 nigriceps, *Marsh.*
 centrimaculatum, *St.*
 minutum, *Fabr.*
 lugubre, *Payk.*
 anale, *Payk.*

Megasternum, Muls.

obscurum, *Marsh.*
 boletophagum, *Er.*

Cryptopleurum, Muls.

atomarium, *Fabr.*

NECROPHAGA.**Silphidae.****Adelops, Tell.**

Wollastoni, *Jans.*

Leptinus, Müll.

testaceus, *Müll.*

Choleva, Latr.

spadicea, *St.*
 angustata, *Fabr.*
 v. intermedia, *Kr.*
 v. cisteloides, *Fröh.*
 castanea, *St.*
 agilis, *Ill.*

fusca, *Panz.*

nigricans, *Spencee.*

coracina, *Kelln.*
 morio, *Fabr.*
 nigrita, *Er.*
 grandicollis, *Er.*
 chrysomeloides, *Panz.*
 longula, *Kelln.*
 pilicornis, *Th.*
 tristis, *Panz.*
 Kirbyi, *Spence.*
 rotundicollis, *Kelln.*
 Watsoni, *Spencee.*
 fumata, *Er.*
 fumata, *Spence.*
 scitula, *Er.*

velox, *Spence.*
 Wilkinii, *Spence.*
 præcox, *Er.*
 anisotomoides, *Spence.*

varicornis, *Rosenh.*

sericea, *Panz.*

Colon, Herbst.

viennense, *Herbst.*
 puncticolle, *Kr.*
 dentipes, *Er.*
 serripes, *Sahlb.*
 ♀ fusciculum, *Er.*
 dentipes, *Sahlb.*
 spinipes, *Halid.*
 ♀ brevicorne, *Sahlb.*
 Zebei, *Kr.*
 appendiculatum, *Sahlb.*
 calcaratum, *Er.*
 ♀ pygmæum, *Er.*
 v. nanum, *Er.*
 rufescens, *Kr.*
 angulare, *Er.*
 brunneum, *Latr.*
 latum, *Kr.*

Silpha, Linn.

littoralis, *Linné.*
 thoracica, *Linn.*
 quadripunctata, *Linn.*
 rugosa, *Linn.*
 sinuata, *Fabr.*
 dispar, *Herbst.*

opaca, *Linn.*

reticulata, *Fabr.*

nigrita, *Cr.*

 alpina, *Germ.*

tristis, *Ill.*

obscura, *Linn.*

lævigata, *Fabr.*

atrata, *Linn.*

subrotundata, *Steph.*

Necrophorus, Fabr.

germanicus, *Linn.*

humator, *Fabr.*

vespillo, *Linn.*

vestigator, *Hers.*

 v. interruptus, *Br.*

interruptus, *Steph.*

 fossor, *Er.*

ruspator, *Er.*

mortuorum, *Fabr.*

Sphærites, Duft.

glabratus, *Fabr.*

Anisotomidae.**Anisotomides.****Hydnobius, Schm.**

punctatissimus, *Steph.*

punctatus, *St.*

spinipes, *Gyll. Th.*

strigosus, *Schm.*

Anisotoma, Ill.

cinnamomea, *Panz.*

rugosa, *Steph.*

 armata, *St.*

Triepkii, *Schm.*

picea, *Ill.*

obesa, *Schm.*

 v. brunnea, *St.*

dubia, *Kug.*

silesiaca, *Kr.*

 ? arctica, *Th.*

furva, *Er.*

ciliaris, *Schm.*

ovalis, *Schm.*

nigrita, *Schm.*

rubiginosa, *Schm.*
scita, *Er.*
calcarata, *Er.*
litura, *Steph.*

badia, *St.*
parvula, *Sahlb.*

Cyrtusa, *Er.*

minuta, *Ahr.*
pauvilla, *Schm.*

Colenis, *Er.*

dentipes, *Gyll.*

Agaricophagus, *Schm.*

cephalotes, *Schm.*
conformis, *Er.*

Agathidiades.

Liodes, *Latr.*

humeralis, *Fabr.*
axillaris, *Gyll.*
glabra, *Kug.*
orbicularis, *Herbst.*

Amphicyllis, *Er.*

globus, *Fabr.*

Agathidium, *Ill.*

nigripenne, *Fabr.*

atrum, *Payk.*
seminulum, *Linn.*
lævigatum, *Er.*

mandibulare, *St.*
rotundatum, *Gyll.*
lycoalgæ, *Hardy.*
piceum, *Er.*
varians, *Beck.*

nigrinum, *St.*
marginatum, *St.*
pumila, *Hardy.*

Clambidae.

Clambus, *Fisch.*
pubescens, *Redt.*

minutus, *St.*
armadillo, *De G.*

Calyptomerus, *Redt.*

dubius, *Marsh.*
enshamensis, *Steph.*

Corylophidae.

Sacium, *Le C.*

pusillum, *Gyll.*

Sericoderus, *Steph.*

lateralis, *Gyll.*

Corylophus, *Steph.*

cassidoides, *Marsh.*

Orthoperus, *Steph.*

brunnipes, *Gyll.*
atomus, *Gyll.*

Alexia, *Steph.*

pilifera, *Müll.*

Sphaeriadae.

Sphærius, *Wattl.*

acaroides, *Wattl.*

Trichopterygidae.

Ptenidium, *Er.*

punctatum, *Gyll.*
alutaceum, *Gillm.*
apicale, *Er.*
formicetorum, *Kr.*
fuscicorne, *Er.*
picipes, *Matth.*
lævigatum, *Er.*
pusillum, *Gyll.*

Nossidium, *Er.*

pilosellum, *Marsh.*

Ptilium, *Er.*

brevicolle, *Matth.*
Kunzei, *Heer.*
spinipenne, *Com.*

angustatum, *Er.*
oblongum, *Gillm.*

fuscum, *Er.*

minutissimum, *Wb. et M.*
trisulcatum, *Aub.*

canaliculatum, *Er.*
inquilinum, *Er.*
insigne, *Matth.*
excavatum, *Er.*
clandestinum, *Hal.*
minimum, *Matth.*

coarctatum, *Hal.*
filiforme, *Aub.*

Nephanes, *Thoms.*

abbreviatellus, *Heer.*
curtus, *Gillm.*

Micrus, *Matth.*

filicornis, *Fairm.*
pulchellus, *Gillm.*

Ptinella, *Mots.*

britannica, *Matth.*
Maria, *Matth.*
Proteus, *Matth.*
ratisbonensis, *Matth.*
denticollis, *Fairm.*
v. ? punctipennis, *Fairm.*
tenella, *Er.*
microscopica, *Gillm.*
aptera, *Guer.*
? pallida, *Er.*
v. ? testacea, *Heer.*
limbata, *Heer. Matth.*
? ratisbonensis *Gillm.*
angustula, *Gillm.*
v. ? gracilis, *Gillm.*

Pteryx, *Matth.*

suturalis, *Heer.*
flavicornis, *Mäkl.*
mutabilis, *Matth.*

Trichopteryx, *Kby.*

atomaria, *De G.*
grandicollis, *Mannh.*
fascicularis, *Gillm.*
fascicularis, *Herbst. Er.*
intermedia, *Gillm.*
thoracica, *Gillm.*
convexa, *Matth.*

suffocata, *Halid.*
 attenuata, *Gillm.*
 fucicola, *Fairm.*
 mollis, *Halid.*
 brevipennis, *Er.*
 clavipes, *Gillm.*
 v. ?picicornis, *Mannh.*
 pygmæa, *Er.*
 parallelogramma, *Gillm.*
 pumila, *Er.*
 sericans, *Gillm.*
 sericans, *Herbst.*
 depressa, *Gillm.*
 similis, *Gillm.*
 Guerinii, *Fairm.*

Scaphidiadae.

Scaphidium, *Ol.*

quadrimaculatum, *Ol.*

Scaphisoma, *Leach.*

agaricinum, *Ol.*
 boleti, *Panz.*

Phalacridae.

Phalacrus, *Payk.*

coruscus, *Payk.*
 substriatus, *Gyll.*
 Caricis, *St.*

Olibrus, *Er.*

corticalis, *Schh.*
 æneus, *Ill.*
 multistriatus, *Zett.*
 liquidus, *Er.*
 affinis, *St.*
 Millefolii, *Payk.*
 pygmæus, *St.*

geminus, *Ill.*
 piceus, *Er.*
 oblongus, *Er.*

Nitidulidae.

Brachypterides.

Cercus, *Latr.*

pedicularius, *Linn.*
 bipustulatus, *Payk.*

rufilabris, *Latr.*

Brachypterus, *Kug.*

gravidus, *Ill.*
 v. cinereus, *Heer.*
 ?pulicarius, *Linn.*

pubescens, *Er.*
 Urticæ, *Fabr.*

Carpophilides.

Carpophilus, *Leach.*

*hemipterus, *Linn.*
 v. bipustulatus, *Heer.*

Nitidulides.

Eपुरaea, *Er.*

decemguttata, *Fabr.*

æstiva, *Linn.*
 depressa, *Gyll.*
 melina, *Er.*
 longula, *Er.*
 florea, *Er.*
 melanocephala, *Marsh.*

deleta, *Er.*
 neglecta, *Heer.*
 obsoleta, *Fabr.*
 parvula, *St.*
 pusilla, *Ill.*

limbata, *Fabr.*

Nitidula, *Fabr.*

bipustulata, *Fabr.*
 *flexuosa, *Fabr.*
 rufipes, *Linn.*
 obscura, *Fabr.*
 quadripustulata, *Fabr.*

Soronia, *Er.*

punctatissima, *Ill.*
 grisea, *Linn.*

Amphotis, *Er.*

marginata, *Fabr.*

Omosita, *Er.*

depressa, *Linn.*
 colon, *Linn.*
 discoidea, *Fabr.*

Thalycra, *Er.*

fervida, *Gyll.*
 sericea, *St.*

Pria, *Steph.*

Dulcamaræ, *Ill.*

Meligethes, *Kby.*

rufipes, *Gyll.*
 lumbaris, *St.*

æneus, *Fabr.*
 viridescens, *Fabr.*
 coracinus, *St.*
 corvinus, *Er.*

Symphyti, *Heer.*
 difficilis, *Heer.*
 memnonius, *Er.*
 pedicularius, *Gyll.*
 serripes, *Gyll.*

umbrosus, *St.*
 maurus, *St.*
 seniculus, *Er.*
 flavipes, *St.*
 flavicornis, *Mill.*
 picipes, *St.*
 lugubris, *St.*
 distinctus, *St.*
 erythropus, *Gyll.*
 exilis, *St.*

solidus, *Kug.*

Pocadius, *Er.*

ferrugineus, *Fabr.*

Cychramides.

Cychramus, *Kug.*

fungicola, *Heer.*
 luteus, *Fabr.*

Ipides.

Cryptarcha, *Shuck.*

strigata, *Fabr.*
 imperialis, *Fabr.*

Ips, *Fabr.*

quadriguttatus, *Fabr.*
 quadripunctatus, *Herbst.*

quadripustulatus, *Fabr.*

ferrugineus, *Fabr.*

Rhizophagides.

Rhizophagus, *Herbst.*

depressus, *Fabr.*

cribratus, *Gyll.*

ferrugineus, *Payk.*

perforatus, *Er.*

parallelcollis, *Gyll.*

nitidulus, *Fabr.*

dispar, *Payk.*

bipustulatus, *Fabr.*

longicollis, *Gyll.*

politus, *Hellw.*

?puncticollis, *Sahlb.*

cæruleipennis, *Sahlb.*

cæruleus, *Waltl.*

Trogositidae.

Nemosoma, *Latr.*

elongatum, *Linn.*

Trogosita, *Ol.*

mauritanica, *Linn.*

caraboides, *Fabr.*

Thymalus, *Latr.*

limbatus, *Fabr.*

Colydiadae.

Synchitides.

Sarrotrium, *Ill.*

c lavicorne, *Linn.*

Endophloeus, *Er.*

spinulosus, *Latr.*

Ditoma, *Ill.*

crenata, *Herbst.*

Synchita, *Hellw.*

Juglandis, *Fabr.*

obscura, *Redt.*

Cicones, *Curt.*

variegatus, *Hellw.*

Colydiades.

Colydium, *Fabr.*

elongatum, *Fabr.*

Teredus, *Shuck.*

nitidus, *Fabr.*

Oxylaemus, *Er.*

cylindricus, *Panz.*

cæsus, *Er.*

Aglenus, *Er.*

brunneus, *Gyll.*

Cerylides.

Cerylon, *Latr.*

histeroides, *Fabr.*

angustatum, *Er.*

deplanatum, *Gyll.?*

Cucujidae.

Brontides.

Dendrophagus, *Schh.*

crenatus, *Payk.*

Silvanides.

Laemophloeus, *Er.*

bimaculatus, *Payk.*

duplicatus, *Waltl.*

pusillus, *Schh.*

*ferrugineus, *Steph.*

testaceus, *Payk.*

ater, *Ol.*

Clemaidis, *Er.*

Pediacus, *Shuck.*

dermestoides, *Fabr.*

Silvanus, *Latr.*

*frumentarius, *Fabr.*

?Surinamensis, *Linn.*

unidentatus, *Fabr.*

*advena, *Waltl.*

Nausibius, *Redt.*

*dentatus, *Marsh.*

Monotomides.

Monotoma, *Herbst.*

picipes, *Payk.*

conicicollis, *Aub.*

angusticollis, *Gyll.*

brevicollis, *Aub.*

spenicollis, *Aub.*

rufa, *Redt.*

sub-4-foveolata, *Water.*

quadricollis, *Aub.*

v. bicolor, *Kunze.*

quisquiliarum, *Redt.*

longicollis, *Gyll.*

Telmatophilidae.

Psammoechus, *Latr.*

bipunctatus, *Fabr.*

Telmatophilus, *Heer.*

Sparganii, *Ahr.*

Typhæ, *Fall.*

Caricis, *Ol.*

Schönherrri, *Gyll.*

Byturus, *Latr.*

fumatus, *Fabr.*

?æstivus, *Linn.*

tomentosus, *Fabr.*

Diphyllus, *Shuck.*

lunatus, *Fabr.*

Cryptophagidae.

Antherophagus, *Latr.*

nigricornis, *Fabr.*

silaceus, *Herbst.*

pallens, *Ol.*

Cryptophagus, *Herbst.*

Lycoperdi, *Herbst.*

setulosus, *St.*

pilosus, *Gyll.*

saginatus, *St.*

umbratus, *Er.*

scanicus, *Linn.*

badius, *St.*

grandis, *Kr.*

fuscicornis, *St.*

affinis, *St.*
 cellaris, *Scop.*
 acutangulus, *Gyll.*
 dentatus, *Herbst.*
 ruficornis, *Steph.*
 distinguendus, *St.*
 bicolor, *St.*
 subdepressus, *Gyll.*
 vini, *Panz.*
 pubescens, *St.*
 populi, *Payk.*

Paramecosoma, *Curt.*
 Abietis, *Payk.*
 pilosulum, *Er.*
 melanocephalum, *Herbst.*

Atomaria, *Steph.*
 ferruginea, *Sahlb.*
 fimetarii, *Herbst.*
 fumata, *Er.*
 linearis, *Steph.*
 elongatula, *Er.*
 umbrina, *Gyll.*
 nigriventris, *Steph.*
 nana, *Er.*
 peltata, *Kr.*
 fuscipes, *Gyll.*
 rhenana, *Kr.*
 pusilla, *Payk.*
 atricapilla, *Steph.*
 nigriceps, *Er.*
 Berolinensis, *Kr.*
 fuscata, *Er.*
 gutta, *Steph.*
 atra, *Herbst.*
 mesomelas, *Herbst.*
 basalis, *Er.*
 munda, *Er.*

nigripennis, *Payk.*
 Hislopi, *Woll.*
 apicalis, *Er.*
 analis, *Er.*
 ruficornis, *Marsh.*
 terminata, *Er.*
 versicolor, *Er.*

Ephistemus, *Westw.*
 globosus, *Waltl.*

gyrinoides, *Marsh.*
 ovulum, *Er.*
 v. piceorrhous, *Marsh.*
 dimidiatus, *St.*

Lathridiadae.

Anommatus, *Wesm.*
 duodecinstriatus, *Müll.*

Holoparamecus, *Curt.*
 singularis, *Beck.*
 depressus, *Curt.*
 Villæ, *Aub.*

Lathridius

Ill.
 lardarius, *De G.*
 angusticollis, *Humm.*
 carinatus, *Gyll.*
 elongatus, *Curt.*
 ruficollis, *Marsh.*
 Liliputanus, *Mannh.*
 ? collaris, *Mann.*
 testaceus, *Waterh.*
 rugosus, *Herbst.*
 transversus, *Oliv.*
 minutus, *Linn.*
 assimilis, *Mannh.*
 filiformis, *Gyll.*

nodifer, *Westw.*

Corticaria, *Marsh.*
 punctulata, *Marsh.* 1802.
 pubescens, *Gyll.* 1827.
 crenulata, *Gyll.*
 denticulata, *Gyll.*
 serrata, *Payk.*

cylindrica, *Mannh.*
 fulva, *Com.*
 elongata, *Gyll.*
 ferruginea, *Marsh.*
 gibbosa, *Herbst.*
 Wollastoni, *Waterh.*
 fuscula, *Humm.*

Mycetophagidae.

Mycetophagides.

Mycetophagus, *Hellw.*
 quadripustulatus, *Linn.*
 piceus, *Fabr.*

atomarius, *Fabr.*
 multipunctatus, *Hellw.*
 Populi, *Fabr.*
 quadriguttatus, *Müll.*

Triphyllus

Latr.
 punctatus, *Fabr.*
 suturalis, *Fabr.*

Litargus

Er.
 bifasciatus, *Fabr.*

Typhaea

Kby.
 fumata, *Linn.*

Mycetaeides.

Mycetæa

Steph.
 hirta, *Marsh.*

Symbiotes

Redt.
 latus, *Redt.*

Myrmecoxenides.

Myrmecoxenus, *Chevr.*
 vaporariorum, *Guér.*

Dermostidae.

Dermostes

Linn.
 *vulpinus, *Fabr.*
 Frischii, *Kug.*

murinus, *Linn.*
 undulatus, *Brahm.*
 lardarius, *Linn.*

Attagenus

Latr.
 pello, *Linn.*

Megatoma

Herbst.
 undata, *Linn.*

Tiresias

Steph.
 serra, *Fabr.*

Anthrenus

Geoffr.
 varius, *Fabr.*
 tricolor, *Herbst.*
 museorum, *Linn. Er.*
 claviger, *Er.*

Trinodes, *Latr.*
hirtus, *Fabr.*

CORDYLOCE- RATA.

Byrrhidae.

Syncalypta, *Dill.*

setigera, *Ill.*
spinosa, *Rossi.*
arenaria, *St.*

Byrrhus, *Linn.*

Dennii, *Curt.*
pilula, *Linn.*
fasciatus, *Fabr.*
dorsalis, *Fabr.*
murinus, *Ill.*

Cytilus, *Er.*

varius, *Fabr.*

Morychus, *Er.*

æneus, *Fabr.*

Simplocaria, *Marsh.*

semistriata, *Ill.*

Limnichus, *Latr.*

pygmæus, *St.*

Histeridae.

Hister, *Linn.*

4 *maculatus*, *Linn.*
v. gagates, *Ill.*

unicolor, *Linn.*

cadaverinus, *E. H.*
merdarius, *E. H.*

neglectus, *Germ.*
carbonarius, *E. H.*
purpurascens, *Herbst.*
marginatus, *Er.*
stercorarius, *E. H.*

sinuatus, *Ill.*

uncinatus, *Ill.*
quadrinotatus, *Scrib.*

bissexstriatus, *Fabr.*

bimaculatus, *Linn.*
duodecimstriatus, *Schr.*

Paromalus, *Er.*

parallelopipedus, *Herbst.*
flavicornis, *Herbst.*

minimus, *Aub.*
pumilio, *Er.*

Hetaerius, *Er.*

sesquicornis, *Preys.*
quadratus, *Ill.*

Dendrophilus, *Leach.*

punctatus, *Herbst.*
pygmæus, *Linn.*

Saprinus, *Er.*

nitidulus, *Payk.*
immundus, *Gyll.*

æneus, *Fabr.*
virescens, *Payk.*

quadristriatus, *E. H.*
maritimus, *Steph.*
sabulosus, *Fairm.*
rugifrons, *Payk.*
metallicus, *Herbst.*

Gnathoncus, *Duv.*

rotundatus, *Ill.*

Myrmetes, *Mars.*

piceus, *Payk.*

Teretrius, *Er.*

picipes, *Fabr.*

Plegaderus, *Er.*

dissectus, *Er.*

Onthophilus, *Leach.*

sulcatus, *Fabr.*
striatus, *Fabr.*

Abraeus, *Leach.*

globosus, *E. H.*
granulum, *Er.*

Acritus, *Le C.*

punctum, *Aub.*

nigricornis, *E. H.*
minutus, *Fabr.*

Lucanidae.

Lucanus, *Linn.*

cervus, *Linn.*

Dorcus, *Mac Leay.*

parallelopipedus, *Linn.*

Sinodendron, *Fabr.*

cylindricum, *Linn.*

Copridae.

Copris, *Geoffr.*

lunaris, *Linn.*

Onthophagus, *Latr.*

taurus, *Linn.*

nutans, *Fabr.*

vacca, *Linn.*

v. medius, *Panz.*
cœnobita, *Herbst.*
fracticornis, *Preysl.*
nuchicornis, *Linn.*
ovatus, *Linn.*

Aphodiadae.

Aphodius, *Ill.*

erraticus, *Linn.*

subterraneus, *Linn.*

fossor, *Linn.*

hæmorrhoidalis, *Linn.*

scybalarius, *Fabr.*

foetens, *Fabr.*

finetarius, *Linn.*

ater, *De G.*

constans, *Dufst.*

vernus, *Muls.*

granarius, *Linn.*

lapponum, *Gyll.*

borealis, *Gyll.*

uliginosus, *Hardy.*

foetidus, *Fabr.*

putridus, *St.*

sordidus, *Fabr.*

rufescens, *Fabr.*

nitidulus, *Fabr.*

plagiatus, *Linn.*

lividus, *Ol.*

inquinatus, *Fabr.*

sticticus, *Panz.*

conspurcatus, *Linn.*

tessulatus, *Payk.*

Zenkeri, *Germ.*

porcus, *Fabr.*

tristis, *Panz.*

pusillus, *Herbst.*

quadrinaculatus, *Linn.*

merdarius, *Fabr.*

prodromus, *Brahm.*

punctatosulcatus, *St.*

contaminatus, *Herbst.*

rufipes, *Linn.*

luridus, *Payk.*

depressus, *Kug.*

v. atramentarius, *Er.*

arenarius, *Ol.*

sus, *Fabr.*

testudinarius, *Fabr.*

porcatus, *Fabr.*

Ammoecius, *Muls.*

brevis, *Er.*

elevatus, *Panz.*

Psammodius, *Gyll.*

sulcicollis, *Ill.*

Aegialia, *Latr.*

sabuleti, *Payk.*

arenaria, *Fabr.*

globosa, *Ill.*

Geotrupidae.

Odontæus, *Klug.*

mobilicornis, *Fabr.*

Geotrupes, *Latr.*

Typhæus, *Linn.*

stercorarius, *Linn.*

v. putridarius, *Er.*

v. mutator, *Marsh.*

sylvaticus, *Panz.*

vernalis, *Linn.*

Trogidae.

Trox, *Fabr.*

hispidus, *Laich.*

arenosus, *Gyll.*

sabulosus, *Linn.*

scaber, *Linn.*

Melolonthidae.

Hoplia, *Ill.*

philanthus, *Sulz.*

argentea, *Fabr.*

Homaloplia, *Steph.*

ruricola, *Fabr.*

Serica, *Mac Leay.*

brunnea, *Linn.*

Melolontha, *Fabr.*

vulgaris, *Fabr.*

Hippocastani, *Fabr.*

Rhizotrogus, *Latr.*

solstitialis, *Linn.*

ochraceus, *Knoch.*

v. tropicus, *Muls.*

Fallenii, *Gyll.*

Rutelidae.

Phyllopertha, *Kby.*

horticola, *Linn.*

Anomala, *Koepp.*

Frischii, *Fabr.*

Cetoniadae.

Cetonia, *Fabr.*

floricola, *Herbst.*

v. ænea, *Gyll.*

v. obscura, *And.*

aurata, *Linn.*

Gnorimus, *Lep.*

variabilis, *Linn.*

nobilis, *Linn.*

Trichius, *Fabr.*

fasciatus, *Linn.*

abdominalis, *Mén.*

gallicus, *Muls.*

PRIOCERATA.

Buprestidae.

Anthaxia, *Fabr.*

nitidula, *Linn.*

♀ læta, *Fabr.*

Agrilus, *Sol.*

biguttatus, *Fabr.*

sinuatus, *Oliv.*

angustulus, *Ill.*

pavidus, *Lap. Gor.*

laticornis, *Ill.*

laticollis, *Kiesw.*

viridis, *Linn.*

viridipennis, *Lap. Gor.*

Aphanisticus, *Latr.*

pusillus, *Ol.*

Trachys, *Fabr.*
 minutus, *Linn.*
 pygmæus, *Fabr.*
 nanus, *Payk.*
 troglodytes, *Lap. Gor.*

Eucnemidae.

Throscides.

Throscus, *Latr.*

dermestoides, *Linn.*
 obtusus, *Curt.*
 pusillus, *Heer.*

Melasides.

Melasis, *Ol.*

buprestoides, *Linn.*

Eucnemides.

Microrhagus, *Esch.*

pygmæus, *Fabr.*

Elateridae.

Agrypnides.

Lacon, *Lap.*

murinus, *Linn.*

Elaterides.

Elaterina.

Elater, *Linn.*

sanguineus, *Linn.*
 lythropterus, *Germ.*
 ? cinnabarinus, *Eschs.*
 sanguinolentus, *Schr.*
 ephippium, *Ol.*
 pomonæ, *Steph.*
 pomorum, *Herbst.*
 elongatulus, *Ol.*
 balteatus, *Linn.*
 tristis, *Linn.*
 serofa, *Germ.*
 nigerrimus, *Lac.*
 rufitarsis, *Desv.*
 nigrinus, *Herbst.*

Megapenthes, *Kiesw.*

sanguinicollis, *Panz.*
 lugens, *Redt.*
 tibialis, *Lac.*

Cryptohypnina.

Cryptohypnus, *Esch.*

maritimus, *Curt.*
 scotus, *Cand.*
 riparius, *Fabr.*
 quadripustulatus, *Fabr.*
 quadriguttatus, *Lap.*
 tetragraphus, *Germ.*
 dermestoides, *Herbst.?*

Cardiophorina.

Cardiophorus, *Esch.*

thoracicus, *Fabr.*
 ruficollis, *Linn.*

asellus, *Er.*

cinereus, *Herbst.*

Melanotina.

Melanotus, *Esch.*

niger, *Fabr.*
 castanipes, *Payk.*
 fulvipes, *Gyll.*
 v. bicolor, *Fabr.*
 rufipes, *Herbst.*

Athoina.

Limonius, *Esch.*

cylindricus, *Payk.*
 minutus, *Linn.*

Athous, *Esch.*

rhombeus, *Oliv.*
 niger, *Linn.*
 v. scrutator, *Herbst.*
 hæmorrhoidalis, *Lac.*
 vittatus, *Fabr.*
 longicollis, *Fabr.*

undulatus, *De G.*
 trifasciatus, *Herbst.*
 v. bifasciatus, *Gyll.*

difformis, *Lac.*
 campyloides, *Newm.*

Ludiina.

Ludius, *Latr.*

ferrugineus, *Linn.*

Corymbitina.

Corymbites, *Latr.*

pectinicornis, *Linn.*
 cupreus, *Fabr.*
 v. æruginosus, *Fabr.*
 castaneus, *Linn.*

tessellatus, *Linn.*
 v. assimilis, *Gyll.*

Quercus, *Gyll.*

impressus, *Fabr.*
 metallicus, *Payk.*
 æneus, *Linn.*
 v. nitens, *Scop.*
 v. germanus, *Linn.*
 bipustulatus, *Linn.*

holosericeus, *Linn.*

Agriotina.

Sericosomus, *Redt.*

brunneus, *Linn.*
 v. fugax, *Fabr.*

Dolopius, *Esch.*

marginatus, *Linn.*

Agriotes, *Esch.*

pallidulus, *Ill.?*
 sobrinus, *Kiesw.?*
 lineatus, *Linn.*
 obscurus, *Linn.*
 sputator, *Linn.*
 ustulatus, *Schall.*

Adrastus, *Esch.*

pallens, *Er.*

Synaptus, *Esch.*

filiformis, *Fabr.*

Campylides.**Campylus**, *Fisch.**linearis*, *Linn.*♀ *mesomelas*, *Linn.***Dascillidae.****Dascillides.****Dascillus**, *Latr.**cervinus*, *Linn.***Cyphonides.****Helodes**, *Latr.**minuta*, *Linn.**pallida*, *Fabr.*v. *læta*, *Panz.**marginata*, *Fabr.**testacea*, *Linn.**livida*, *Fabr.***Cyphon**, *Payk.**coarctatus*, *Payk.**nitidulus*, *Thoms.**fuscicornis*, *Thoms.**variabilis*, *Thunb.**pubescens*, *Gyll.**ochraceus*, *Steph.**pallidulus*, *Boh.**Padi*, *Linn.***Prionocyphon**, *Redt.**serricornis*, *Müll.***Hydrocyphon**, *Redt.**deflexicollis*, *Müll.***Scirtes**, *Ill.**hemisphæricus*, *Linn.**orbicularis*, *Panz.***Eubriides.****Eubria**, *Redt.**palustris*, *Germ.***Lycidae.****Eros**, *Newm.**Aurora*, *Fabr.**minutus*, *Fabr.***Lampyridae.****Lampyris**, *Linn.**noctiluca*, *Linn.***Drilidae.****Drilus**, *Ol.**flavescens*, *Fabr.***Telephoridae.****Telephorus**, *Schæff.**alpinus*, *Payk.*? *rubens*, *Fabr.*? *lateralis*, *Linn.**abdominalis*, *Fabr.**fuscus*, *Linn.**rusticus*, *Fall.**obscurus*, *Linn.**nigricans*, *Müll.*v. ? *discoideus*, *Steph.**pellucidus*, *Fabr.**lividus*, *Linn.*v. *dispar*, *Fabr.**hæmorrhoidalis*, *Fabr.**clypeatus*, *Ill.**rufus*, *Linn.*v. *litratus*, *Fall.**bicolor*, *Panz.**figuratus*, *Mannh.**thoracicus*, *Gyll.**fulvicollis*, *Fabr.**nivalis*, *Germ.**flavilabris*, *Fall.**paludosus*, *Fall.**oralis*, *Germ.**lateralis*, *Gyll.**rufescens*, *Letzn.**concolor*, *Märk.**unicolor*, *Curt.**fulvus*, *Scop.**melanurus*, *Ol.**fuscicornis*, *Ol.**testaceus*, *Linn.**femorialis*, *Br.?**pallidus*, *Fabr.*v. *pallipes*, *Fabr.**elongatus*, *Fall.**paludosus*, *Redt.***Silis**, *Latr.**ruficollis*, *Fabr.***Malthinus**, *Latr.**fasciatus*, *Fall.*v. *balteatus*, *Suffr.**flaveolus*, *Payk.**frontalis*, *Marsh.***Malthodes**, *Kiesw.**sanguinolentus*, *Fall.**marginatus*, *Latr.**dispar*, *Germ.**flavoguttatus*, *Kiesw.**brevicollis*, *Payk.***Malachiadae.****Malachius**, *Fabr.**æneus*, *Linn.**bipustulatus*, *Linn.**viridis*, *Fabr.**marginellus*, *Oliv.**spinus*, *Er.**pulicarius*, *Fabr.**rubricollis*, *Marsh.**ruficollis*, *Fabr.***Anthocomus**, *Er.**sanguinolentus*, *Fabr.**fasciatus*, *Linn.***Dasytidae.****Dasytes**, *Payk.**niger*, *Linn.**ætatus*, *Steph.**flavipes*, *Fabr.*

Dolichosoma, *Steph.*
lineare, *Fabr.*

viridi-cæruleum, *Geoff.*
nobile, *Ill.*

Haplocnemus, *Steph.*
nigricornis, *Fabr.*
punctatus, *Germ.*
femoralis, *Ill.*

Phloeophilus, *Steph.*
Edwardsii, *Steph.*

Cleridae.

Tillides.

Tillus, *Ol.*
elongatus, *Linn.*
♂ ambulans, *Fabr.*
v. bimaculatus, *Don.*
unifasciatus, *Fabr.*

Clerides.

Opilus, *Latr.*
mollis, *Linn.*
v. domesticus, *St.*

Clerus, *Geoffr.*
formicarius, *Linn.*

Corynetides.

Corynetès, *Herbst.*
cæruleus, *De G.*
ruficollis, *Fabr.*
rufipes, *Fabr.*
violaceus, *Linn.*

Lymexylidae.

Hylecoëtus, *Latr.*
dermestoides, *Linn.*

Lymexylon, *Fabr.*
navale, *Linn.*

Ptinidae.

Hedobia, *St.*

imperialis, *Linn.*

Ptinus, *Linn.*

germanus, *Fabr.*
sexpunctatus, *Panz.*
Lichenum, *Marsh.* 1802.
ornatus, *Müller.*
fuscus, *Sturm.*
fur, *Linn.*
*latro, *Fabr.*
crenatus, *Fabr.*

Niptus, *Boield.*

*hololeucus, *Fald.*

Mezium, *Curt.*

*affine, *Boield.*
sulcatum, *St.*

Gibbium, *Scop.*

*scotias, *Fabr.*

Anobiadae.

Dryophilus, *Chev.*

castaneus, *Ol.*
planus, *Fabr.*
anobioides, *Chev.*
compressicornis, *Muls.*

Anobium, *Fabr.*

denticolle, *Panz.*
pertinax, *Linn.*
striatum, *Fabr.*
striatum, *Oliv.*
pertinax, *Fabr.*
fulvicorne, *St.*
rufipes, *Fabr.*
*paniceum, *Linn.*
pulsator, *Schall.*
tessellatum, *Fabr.*

plumbeum, *Ill.*
molle, *Linn.*
Abietis, *Fabr.*

Ochina, *St.*

Hederæ, *Müll.*

Ptilinus, *Geoff.*

pectinicornis, *Linn.*

Xyletinus, *Latr.*

ater, *Panz.*
serratus, *Fabr.*

Lasioderma, *Steph.*

*testaceum, *Steph.*

Dorcatoma, *Herbst.*

chrysomelina, *St.*
flavicornis, *Fabr.*
Bovistæ, *E. H.*
rubens, *E. H.*

Conipora, *Th.*

orbiculatus, *Gyll.*

Sphindidae.

Sphindus, *Chev.*

dubius, *Gyll.*
Gyllenhalii, *Chev.*

Apatidae.

Dinoderus, *Steph.*

substriatus, *Payk.*
♂ ? elongatus, *Payk.*

Rhizopertha, *Steph.*

*pusilla, *Fabr.*

Lyctidae.

Lyctus, *Fabr.*

canaliculatus, *Fabr.*
oblongus, *Ol.*

*brunneus, *Steph.*

Cioidae.

Rhopalodontus, *Mell.*

perforatus, *Gyll.*
fronticornis, *Panz.*

Cis, Latr.

Boleti, Scop.
setiger, Mell.
? villosulus, Marsh.

micans, Herbst.
hispidus, Payk.

bidentatus, Ol.
nitidus, Herbst.
Alni, Gyll.

oblongus, Mell.
? pygmæus, Marsh.
festivus, Panz.
fuscatus, Mell.

Ennearthron, Mell.

cornutum, Gyll.
affine, Gyll.

Octotemnus, Mell.
glabriculus, Gyll.

**RHYNCHOPHO-
RA.****Scolytidae.****Platypides.**

Platypus, Herbst.
cylindrus, Fabr.

Tomicides.**Tomicus, Lat.**

Laricis, Fabr.
acuminatus, Gyll.
bispinus, Ratz.
micrographus, Gyll.
pityographus, Ratz.
bidens, Fabr.
villosus, Fabr.
dispar, Fabr.
dryographus, Er.
Saxesenii, Ratz.

Hypothenemus, West.
*eruditus, Westw.

Cryphalus, Er.

Fagi, Nördl.
Piceæ, Ratz.
binodulus, Ratz.
Abietis, Ratz.

Xyloterus, Er.

domesticus, Linn.
lineatus, Ol.

Scolytides.**Scolytus, Geoffr.**

Ratzeburgii, Jans.
destructor, Ratz.
destructor, Ol.
scolytus, Fabr.
intricatus, Ratz.
pygmæus, Gyll.
multistriatus, Marsh.
Pruni, Ratz.
v. Pyri, Ratz.
rugulosus, Ratz.

Hylesinides.**Hylesinus, Fabr.**

crenatus, Fabr.
oleiperda, Fabr.
scaber, Marsh.
Fraxini, Fabr.
v. varius, Fabr.
vittatus, Fabr.

Phloeophthorus, Woll.

rhododactylus, Marsh.

Dendroctonus, Er.

pilosus, Ratz.

Hylurgus, Latr.

piniperda, Linn.

Hylastes, Er.

ater, Payk.
cunicularius, Er.
angustatus, Herbst.
opacus, Er.

Trifolii, Müll.
? obscurus, Marsh.

Curculionidae.**Cossonides.****Pentarthrum, Woll.**

Huttoni, Woll.

Rhyncolus, Cr.

chloropus, Fabr.
truncorum, Germ.
cylindrirostris, Oliv.

Phloeophagus, Schh.

æneopiceus, Schh.
spadix, Herbst.

Mesites, Schh.

Tardii, Curt.

Cossonus, Schh.

linearis, Linn.

Calandrides.**Sitophilus, Schh.**

*granarius, Linn.
*Oryzæ, Linn.

Cionides.**Nanophyes, Schh.**

Lythri, Fabr.

Mecinus, Germ.

pyraster, Herbst.
collaris, Germ.
circulatus, Marsh.

Gymnetron, Schh.

pascuorum, Gyll.
bicolor, Schh.
villosulus, Schh.?
Beccabungæ, Linn.
v. Veronicæ, Germ.
labilis, Herbst.
marmoratus, Schh.
rostellum, Herbst.
melanarius, Germ.

noctis, *Herbst.*
collinus, *Gyll.*
Linariæ, *Panz.*

graminis, *Schh.*
plantarum, *Schh.*
Campanulæ, *Linn.*

Cionus, *Clair.*

Scrophulariæ, *Linn.*
Verbaſci, *Fabr.*
Thapsus, *Fabr.*
hortulanus, *Marsh.*
Blattariæ, *Fabr.*
pulchellus, *Herbst.*

Cryptorhynchides.

Bagous, *Germ.*

binodulus, *Herbst.*
nodulosus, *Schh.*
limosus, *Schh.*
subcarinatus, *Schh.*
laticollis, *Schh.*
petrosus, *Schh.*
chorinaceus, *Schh.*
frit, *Herbst.*
lutulosus, *Gyll.*
dorsalis, *Perr.*
formicetorum, *Duv.*
tempestivus, *Herbst.*
cnemerythrus, *Marsh.*
convexicollis, *Schh.*
tessellatus, *Först.*
lutosus, *Gyll.*
lutulentus, *Gyll.*
puncticollis, *Schh.*
validitarsus, *Schh.*

cylindrus, *Payk.*

Tapinotus, *Schh.*

sellatus, *Fabr.*

Poophagus, *Schh.*

Sisymbrii, *Fabr.*
Nasturtii, *Germ.*
olivaceus, *Schh.*

Rhinoncus, *Schh.*

Castor, *Fabr.*
bruchoides, *Herbst.*

inconspectus, *Herbst.*
pericarpus, *Fabr.*
subfasciatus, *Gyll.*
guttalis, *Gr.*

Ceuthorhynchus, *Schh.*

syrites, *Germ.*
assimilis, *Payk.*
Erysimi, *Fabr.*
contractus, *Marsh.*
setosus, *Schh.*
Cochleariæ, *Gyll.*
constrictus, *Marsh.*
Ericæ, *Gyll.*
albosetosus, *Schh.*

horridus, *Panz.*
viduatus, *Gyll.*
impressicollis, *Little, MSS.*
litura, *Fabr.*
trimaculatus, *Fabr.*
asperifoliarum, *Gyll.*
Crux, *Walt. MSS.*
Urticæ, *Schh.*
crassidentatus, *Mar. MSS.*
Chrysanthemii, *Schh.*
melanostigma, *Marsh.*
rugulosus, *Herbst?*
melanostictus, *Marsh.*

Lycopi, *Schh.*
perturbatus, *Schh.*
quadridens, *Panz.*
Resedæ, *Marsh.*
marginatus, *Payk.*
punctiger, *Schh.*
quercicola, *Fabr.*
grypus, *Herbst.*
biguttatus, *Schh.*
raphaelensis, *Chcvr.*
pollinarius, *Forst.*
sulcicollis, *Gyll.*
inaffectatus, *Schh.*
Rapæ, *Gyll.?*
hispidulus, *Stev. MSS.*
cyanipennis, *Germ.*
tarsalis, *Schh.*
chalybeus, *Germ.*
hirtulus, *Germ.*
troglodytes, *Fabr.*
inornatus, *Waterh.*

Orobitis, *Germ.*

cyaneus, *Linn.*

Scleropterus, *Schh.*

globulus, *Herbst.*

Acalles, *Schh.*

Roboris, *Curt. 1835.*
Navieresi, *Schh. 1837.*
abstersus, *Schh.*
ptinoides, *Marsh.*
misellus, *Schh.*

Mononychus, *Schh.*

Pseudacori, *Fabr.*

Caeliodes, *Schh.*

Quercus, *Fabr.*
ruber, *Marsh.*
rubicundus, *Payk.*
guttula, *Fabr.*
fuliginosus, *Marsh.*
umbrinus, *Schh.*
canaliculatus, *Schh.*
subrufus, *Herbst.*
quadrimaculatus, *Linn.*
didymus, *Fabr.*
uliginosus, *Schh.*
Geranii, *Payk.*

Cryptorhynchus, *Ill.*

Lapathi, *Linn.*

Baridius, *Schh.*

laticollis, *Marsh.*
picinus, *Germ.*
nalis, *Oliv.*
Lepidii, *Germ.*
picicornis, *Marsh.*
Abrotani, *Germ.*
punctatus, *Schh.*

T. album, *Linn.*

Eriirhinides.

Trachodes, *Schh.*

hispidus, *Linn.*

Styphlus, *Schh.*

setiger, *Germ.*

Orchestes, Ill.

Quercus, *Linn.*
 scutellaris, *Fabr.*
 melanocephalus, *Ol.*
 carnifex, *Germ.*
 Alni, *Linn.*
 Ilicis, *Fabr.*
 Fagi, *Linn.*
 rhodopus, *Marsh.*
 pratensis, *Germ.*
 tomentosus, *Schh.*
 iota, *Fabr.*
 Avellanæ, *Don.* 1797.
 signifer, *Cr.* 1799.
 Rusci, *Herbst.*

Salicis, *Linn.*
 stigma, *Germ.*
 saliceti, *Fabr.*

Anoplus, Schh.

plantaris, *Naetz.*

Litodactylus, Redt.

velatus, *Beck.*
 leucogaster, *Marsh.*

Phytobius, Schh.

Waltoni, *Schh.*
 quadrinodosus, *Gyll.*
 Comari, *Herbst.*
 quadrituberculatus, *Fabr.*
 canaliculatus, *Schh.*
 quadricornis, *Gyll.*

Acalyptus, Schh.

Carpini, *Herbst.*
 v. sericeus, *Schh.*

Sibynes, Schh.

Potentillæ, *Germ.*
 Arenariæ, *Schh.*
 primitus, *Herbst.*

Smicronyx, Schh.

Jungermanniæ, *Reich.*
 cicur, *Reich.*
 variegatus, *Schh.*
 pygmæus, *Curt.*

Tychius, Germ.

quinquepunctatus, *Linn.*
 venustus, *Fabr.*
 polylineatus, *Germ.*
 lineatulus, *Schh.*
 Schneideri, *Herbst.*
 nigrirostris, *Waterh.*
 tomentosus, *Herbst.*
 flavicollis, *Schh.*
 Kirbii, *Waterh.*
 flavicollis, v. *Schh.*
 junceus, *Reich.*
 Meliloti, *Steph.*
 hæmatocephalus, *Schh.*
 brevicornis, *Waterh.*

picrostris, *Fabr.*

Amalus, Schh.

scortillum, *Herbst.*

Ceutorhynchideus,

Duval.

floralis, *Payk.*
 pyrrhorhynchus, *Marsh.*
 melanarius, *Schh.*
 terminatus, *Herbst.*
 apicalis, *Gyll.*
 nigrinus, *Marsh.*
 depressicollis, *Schh.*

Balaninus, Germ.

venosus, *Germ.*
 nucum, *Linn.*
 turbatus, *Schh.*
 cerasorum, *Herbst.*
 villosus, *Herbst.*
 Brassicæ, *Fabr.*
 pyrrhoceras, *Marsh.*

Anthonomus, Germ.

Ulni, *De G.*
 pedicularius, *Linn.*
 pomorum, *Linn.*
 pubescens, *Payk.*
 Rubi, *Herbst.*

Brachonyx, Schh.

indigena, *Herbst.*

Hydronomus, Schh.

Alismatis, *Marsh.*

Elleschus, Schh.

scanicus, *Payk.*
 bipunctatus, *Linn.*

Grypidius, Schh.

Equiseti, *Fabr.*

Erirehinus, Schh.

bimaculatus, *Fabr.*
 Scirpi, *Fabr.*
 acridulus, *Linn.*
 æthiops, *Fabr.*
 pillumus, *Schh.*

Festucæ, *Herbst.*
 Nereis, *Payk.*
 scirrhosus, *Schh.*

vorax, *Fabr.*

v. macropus, *Redt.*
 Tremulæ, *Payk.*
 vecors, *Schh.*
 costirostris, *Schh.*
 bituberculatus, *Zett.*
 maculatus, *Marsh.*
 affinis, *Payk.*
 validirostris, *Schh.*
 Waltoni, *Schh.*
 tæniatus, *Fabr.*
 Salicis, *Walt.*
 salicinus, *Gyll.*
 agnathus, *Schh.*
 majalis, *Payk.*
 flavipes, *Panz.*
 pectoralis, *Panz.*
 Tortrix, *Linn.*

Magdalinus, Schh.

phlegmaticus, *Herbst.*
 Cerasi, *Linn.*
 aterrimus, *Fabr.*
 stygius, *Gyll.*
 carbonarius, *Linn.*
 atramentarius, *Germ.*
 Pruni, *Linn.*

Pissodes, Germ.

Pini, *Linn.*
 notatus, *Fabr.*

Rhinocyllus, Germ.

latirostris, *Latr.*

Larinus, *Germ.**Carlinæ*, *Oliv.***Lixus**, *Fabr.**bicolor*, *Oliv.**angustatus*, *Fabr.**turbatus*, *Schh.**gemellatus*, *Schh.**paraplecticus*, *Linn.***Otiorhynchides.****Otiorhynchus**, *Germ.**fuscipes*, *Oliv.**v. Fagi*, *Schh.**tenebricosus*, *Herbst.**unicolor*, *Herbst.**v. ebeninus*, *Schh.**atro-apterus*, *Gyll.**raucus*, *Fabr.**scabrosus*, *Marsh.**ligneus*, *Oliv.**scabridus*, *Schh.**septentrionis*, *Herbst.**maurus*, *Gyll.**monticola*, *Germ.**picipes*, *Fabr.**v. Chevrolatii*, *Schh.**Ligustici*, *Linn.**rugifrons*, *Gyll.**ovatus*, *Linn.**v. pabulinus*, *Panz.**v. vorticosus*, *Schh.***Omius**, *Germ.**Bohemanni*, *Schh.**hirsutulus*, *Fabr.**brunnipes*, *Oliv.***Barypeithes**, *Duv.**sulcifrons*, *Schh.**rufipes*, *Duv.***Trachyploeus**, *Germ.**scaber*, *Linn.**tessellatus*, *Marsh.**scabriculus*, *Schh.**scabriculus*, *Linn.**setarius*, *Schh.**scaber*, *Schh.**spinimanus*, *Germ.**squamulatus*, *Oliv.**aristatus*, *Gyll.**stipulatus*, *Germ.***Caenopsis**, *Bach.**fissirostris*, *Walt.**Bachii*, *Först.**Waltoni*, *Schh.***Phyllobius**, *Schh.**calcaratus*, *Fabr.**alneti*, *Fabr.**Pyri*, *Schh.**argentatus*, *Linn.**maculicornis*, *Germ.**oblongus*, *Linn.**Pyri*, *Linn.**vespertinus*, *Fabr.**Pomonæ*, *Oliv.**uniformis*, *Marsh.**viridicollis*, *Fabr.***Byrsopides.****Gronops**, *Schh.**lunatus*, *Fabr.***Cleonides.****Procas**, *Steph.**picipes*, *Marsh.**granulicollis*, *Walt.***Plinthus**, *Germ.**caliginosus*, *Fabr.***Phytonomus**, *Schh.**punctatus*, *Fabr.**fasciculatus*, *Herbst.**Arundinis*, *Fabr.**Rumicis*, *Linn.**Pollux*, *Fabr.**v. Julini*, *Schh.**suspiciosus*, *Herbst.**tigrinus*, *Schh.**Plantaginis*, *De G.**aurolineatus*, *Br.**variabilis*, *Herbst.**v. ? murinus*, *Fabr.**Polygoni*, *Fabr.**meles*, *Fabr.**nigrirostris*, *Fabr.**v. trilineatus*, *Marsh.***Limobius**, *Schh.**dissimilis*, *Herbst.**mixtus*, *Schh.***Liosomus**, *Kby.**ovatulus*, *Clairv.***Molytes**, *Schh.**coronatus*, *Latr.**Germanus*, *Linn.***Hylobius**, *Schh.**abietis*, *Linn.***Tanysphyrus**, *Germ.**Lemnæ*, *Fabr.***Tropiphorus**, *Schh.**mercurialis*, *Fabr.**carinatus*, *Müll.***Barynotus**, *Germ.**obscurus*, *Fabr.**Schönherri*, *Schh.**mœrens*, *Fabr.***Liophlaeus**, *Germ.**nubilus*, *Fabr.***Alophus**, *Schh.**triguttatus*, *Fabr.***Cleonus**, *Schh.**nebulosus*, *Linn.**ophthalmicus*, *Rossi.**sulcirostris*, *Linn.**albidus*, *Fabr.**glaucus*, *Fabr.***Brachyderides.****Polydrosus**, *Germ.**undatus*, *Fabr.**flavipes*, *De G.**pterygomalis*, *Schh.*

cervinus, *Gyll.*
 chrysomela, *Oliv.*
 confluens, *Steph.*
 perplexus, *Schh.*
 sericeus, *Schall.*

Metallites, *Schh.*

marginatus, *Steph.*
 ambiguus, *Schh.*

Sitones, *Schh.*

griseus, *Fabr.*

flavescens, *Marsh.*
 octopunctatus, *Schh.*
 suturalis, *Steph.*
 v. elegans, *Schh.*
 sulcifrons, *Schh.*
 Medicaginis, *Redt.*
 argutulus, *Schh.*

tibialis, *Herbst.*
 ♀ striatellus, *Schh.*
 ambiguus, *Schh.*
 brevicollis, *Schh.*
 lineellus, *Schh.*
 Waterhousei, *Walt.*
 setosus, *Redt.*
 cinitus, *Oliv.*

regensteinensis, *Herbst.*
 globulicollis, *Schh.*
 cambricus, *Steph.*
 cribricollis, *Schh.*
 constrictus, *Schh.*

puncticollis, *Steph.*
 insulsus, *Schh.*
 lineatus, *Linn.*
 v. geniculatus, *Schh.*

hispidulus, *Fabr.*
 v. hæmorrhoidalis, *Schh.*
Meliloti, *Walt.*
 humeralis, *Steph.*
 promptus, *Schh.*
 v. attritus, *Schh.*

Tanymecus, *Germ.*

palliatu, *Fabr.*

Sciaphilus, *Schh.*

muricatus, *Fabr.*

Strophosomus, *Bill.*

Coryli, *Fabr.*
 illibatus, *Schh.*
 obesus, *Marsh.*
 Coryli, *Schh.*
 fulvicornis, *Walt.*
 retusus, *Marsh.*
 oxyops, *Schh.*
 alternans, *Schh.*
 faber, *Herbst.*
 limbatus, *Fabr.*
 hirtus, *Schh.*

Cneorhinus, *Schh.*

geminatus, *Fabr.*
 albicans, *Schh.*
 exaratus, *Marsh.*

Attelabidae.**Apion**, *Herbst.*

Pomonæ, *Fabr.*
 Craccæ, *Linn.*
 subulatum, *Kirby.*

vorax, *Herbst.*
 Ervi, *Kirby.*
 Ononis, *Kirby.*
 Gyllenhalli, *Kirby.*
 Spencii, *Kirby.*
 Æthiops, *Herbst.*
 punctigerum, *Germ.*
 Pisi, *Meg.*
 validirostre, *Schh.*
 afer, *Schh.*
 Loti, *Kirby.*
 filirostre, *Kirby.*
 scutellare, *Kirby.*
 tenue, *Kirby.*
 seniculus, *Kirby.*
 simile, *Kirby.*
 virens, *Herbst.*
 Astragali, *Payk.*
 striatum, *Marsh.*

immune, *Kirby.*
 Sorbi, *Herbst.*
 pubescens, *Kirby.*
 Curtisii, *Curtis.*
 confluens, *Kirby.*
 stolidum, *Germ.*

lævigatum, *Kirby.*
 æneum, *Fab.*
 radiolum, *Marsh.*
 validum, *Germ.*
 Carduorum, *Kirby.*
 Onopordi, *Kirby.*
 ebeninum, *Kirby.*
 Meliloti, *Kirby.*
 violaceum, *Kirby.*
 Hydrolapathi, *Marsh.*

frumentarium, *Linn.*
 rubens, *Steph.*
 sanguineum, *De Geer.*
 cruentatum, *Walt.*
 miniatum, *Schh.*

minimum, *Herbst.*
 Sedi, *Germ.*
 humile, *Germ.*
 Limonii, *Kirby.*
 marchicum, *Herbst.*
 affine, *Kirby.*
 Waltoni, *Steph.*
 pavidum, *Germ.*
 livescerum, *Schh.*

Hookeri, *Kirby.*
 vicinum, *Kirby.*
 atomarium, *Kirby.*
 flavimanum, *Schh.*

vernale, *Fab.*
 Malvæ, *Fab.*
 rufirostre, *Fab.*
 pallipes, *Kirby.*
 Germari, *Walt.*

Viciæ, *Payk.*

flavipes, *Fab.*
 nigritarse, *Kirby.*
 assimile, *Kirby.*
 Fagi, *Linn.*
 Trifolii, *Linn.*
 Schönherri, *Schh.*
 varipes, *Germ.*
 lævicolle, *Kirby.*
 difforme, *Germ.*
 dissimile, *Germ.*

Oxystoma, *Dum.*

fuscirostre, *Fab.*

Ulicis, Fost.
Genistæ, Kirby.

Rhinomacer, Fabr.
attelaboides, Fabr.

Rhynchites, Herbst.

auratus, Scop.
Bacchus, Linn.
æquatatus, Linn.
æneovirens, Marsh.
obscurus, Schh.
v. Fragariæ, Schh.
Alliariæ, Payk.
megacephalus, Schh.
conicus, Ill.
pauillus, Germ.
germanicus, Herbst.
minutus, Schh.
nanus, Payk.
planirostris, Fabr.
betuleti, Fabr.
Populi, Linn.

pubescens, Herbst.
♂ cavifrons, Schh.
ophthalmicus, Steph.
comatus, Schh.
♀ cyanicolor, Schh.
megacephalus, Germ.
constrictus, Schh.
tomentosus, Schh.

Betulæ, Linn.

Apoderus, Oliv.

Coryli, Linn.
v. Avellanæ, Linn.

Attelabus, Linn.
curculionoides, Linn.

Anthribidae.

Brachytarsus, Schh.
scabrosus, Fabr.
varius, Fabr.

Tropideres, Schh.

albirostris, Herbst.
sepicola, Herbst.
niveirostris, Fabr.

Platyrhinus, Clair.
latirostris, Fabr.

Anthribus, Geoff.
albinus, Linn.

Choragus, Kby.
Sheppardi, Kirb.
bostrichoides, Müll.

Bruchidae.

Bruchus, Linn.

Cisti, Fabr.
canus, Germ.

rufimanus, Schh.
affinis, Fröh.
flavimanus, Schh.
seminarius, Linn.
granarius, Schh.
luteicornis, Ill.
Loti, Payk.
ater, Marsh.
Cisti, Payk.

EUCERATA.

Prionidae.

Prionus, Geoffr.
coriarius, Linn.

Cerambycidae.

Aromia, Serv.
moschata, Linn.

Callidium, Fabr.

**violaceum, Linn.*
Alni, Linn.
variabile, Linn.
v. fennicum, Linn.
v. testaceum, Linn.
v. præustum, Fabr.

Hylotrupes, Serv.

**bajulus, Linn.*

Asemum, Esch.
striatum, Linn.

Clytus, Fabr.
arcuatus, Linn.
arietis, Linn.
gazella, Fabr.

mysticus, Linn.

Obrium, Latr.
cantharinum, Linn.
ferrugineum, Fabr.

Gracilia, Serv.
pygmæa, Fabr.

Lamiadae.

Lamia, Fabr.

textor, Linn.

Monochammus, Latr.
sutor, Linn.

Astynomus, Steph.
ædilis, Linn.

Liopus, Serv.
nebulosus, Linn.

Pogonocherus, Latr.
fascicularis, Panz.
hispidus, Linn.
pilosus, Fabr.

Mesosa, Serv.
nubila, Oliv.

Agapanthia, Serv.
lineatocollis, Marsh.
Cardui, Fabr.

Saperda, Fabr.
carcharias, Linn.
calaris, Linn.

populnea, *Linn.*

Polyopsia, *Muls.*
præusta, *Linn.*

Stenostola, *Redt.*
nigripes, *Fabr.*

Oberea, *Muls.*
oculata, *Linn.*

Phytoecia, *Muls.*
cylindrica, *Linn.*

Lepturidae.

Necydalis, *Linn.*
minor, *Linn.*
umbellatarum, *Linn.*

Rhagium, *Fabr.*
inquisitor, *Fabr.*
indagator, *Linn.*
bifasciatum, *Fabr.*

Toxotus, *Serv.*
meridianus, *Linn.*

Pachyta, *Serv.*
octomaculata, *Fabr.*
collaris, *Linn.*

Strangalia, *Serv.*
aurulenta, *Fabr.*
quadrifasciata, *Linn.*
revestita, *Linn.*
armata, *Herbst.*
v. calcarata, *Fabr.*
v. subspinosa, *Fabr.*
attenuata, *Linn.*
melanura, *Linn.*

Leptura, *Linn.*
scutellata, *Fabr.*
tomentosa, *Fabr.*
livida, *Fabr.*

Anoplodera, *Muls.*
sexguttata, *Fabr.*

Grammoptera, *Serv.*
lævis, *Fabr.*
nalis, *Panz.*
ruficornis, *Fabr.*
præusta, *Fabr.*

PHYTOPHAGA.

Sagridae.

Orsodacna, *Latr.*
nigriceps, *Latr.*
v. nigricollis, *Oliv.*
v. humeralis, *Latr.*
v. cærulescens, *Duft.*
Cerasi, *Oliv.*

Donaciadae.

Donacia, *Fabr.*
crassipes, *Fabr.*
bidens, *Oliv.*
dentata, *Hoppe.*
angustata, *Kunze.*
dentipes, *Fabr.*
Lemnæ, *Fabr.*
Sagittariæ, *Fabr.*
obscura, *Gyll.*
thalassina, *Germ.*
impressa, *Payk.*

sericea, *Linn.*
Comari, *Suffr.*
?aquatica, *Linn.*
nigra, *Fabr.*
affinis, *Kunze.*
v. rustica, *Kunze.*

semicuprea, *Panz.*
Menyanthidis, *Fabr.*
linearis, *Hoppe.*
Typhæ, *Brahm.*
Hydrocharidis, *Fabr.*

Haemonia, *Latr.*
Equiseti, *Fabr.*
Curtisii, *Lac.*

Crioceridae.

Zeugophora, *Kunze.*
subspinosa, *Fabr.*
flavicollis, *Marsh.*

Lema, *Fabr.*
puncticollis, *Curt.*
rugicollis, *Suffr.*
cyanella, *Linn.*
Erichsonii, *Suffr.*
melanopa, *Linn.*

Crioceris, *Geoffr.*
*merdigera, *Linn.*
*duodecimpunctata, *Linn.*
v. dodecastigma, *Suffr.*
Asparagi, *Linn.*

Clythridae.

Clythra, *Laich.*
tridentata, *Linn.*
quadripunctata, *Linn.*
læviuscula, *Ratz.*

Lamprosoma, *Kby.*
concolor, *St.*

Cryptocephalidae.

Cryptocephalus, *Geoff.*
imperialis, *Fabr.*

Coryli, *Linn.*

variabilis, *Schn.*
sexpunctatus, *Linn.*
aureolus, *Suffr.*
Hypochoeridis, *Suffr.*

nitidulus, *Gyll.*
Moræi, *Linn.*

punctiger, *Payk.*
flavilabris, *Payk.*
bilineatus, *Linn.*
minutus, *Fabr.*

pusillus, *Fabr.*
 gracilis, *Fabr.*
 labiatus, *Linn.*
 Wasastjernæ, *Gyll.*
 geminus, *Gyll.*
 frontalis, *Marsh.*

bipunctatus, *Linn.*
 v. lineola, *Fabr.*
 v. ?bipustulatus, *Fabr.*

Chrysomelidae.

Timarcha, *Latr.*

lævigata *Linn.*
 coriaria, *Fabr.*

Chrysomela, *Linn.*

Banksii, *Fabr.*
 staphylea, *Linn.*

varians, *Fabr.*
 goettingensis, *Linn.*

hæmoptera, *Linn.*

sanguinolenta, *Linn.*
 distinguenda, *Steph.*
 marginata, *Linn.*

Menthastri, *Suffr.*
 graminis, *Linn.*
 fastuosa, *Linn.*
 cerealis, *Linn.*
 polita, *Linn.*

lamina, *Fabr.*

fucata, *Fabr.*
 geminata, *Payk.*

Lina, *Redt.*

ænea, *Linn.*

Populi, *Linn.*
 longicollis, *Suffr.*
 Tremulæ, *Steph.*

Gonioctena, *Redt.*

rufipes, *De G.*
 viminalis, *Linn.*

litura, *Fabr.*
 pallida, *Linn.*

Gastrophysa, *Redt.*

Polygoni, *Linn.*
 Raphani, *Fabr.*

Phaedon, *Latr.*

Armoraciæ, *Fabr.*
 clavicornis, *Steph.*

tumidulum, *Steph.*
 Betulæ, *Suffr.*

Cochleariæ, *Gyll.*
 ? Armoraciæ, *Linn.*
 Cochleariæ, *Oliv. Suffr.*
 ? Betulæ, *Linn.*
 concinnum, *Steph.*

Vitellinæ, *Linn.*
 vulgatissima, *Linn.*

aucta, *Fabr.*
 marginella, *Linn.*
 hannoverana, *Fabr.*

Phellandrii, *Linn.*
 Beccabungæ, *Ill.*

Galerucidae.

Ademonia, *Laich.*

Tanaceti, *Linn.*
 Villæ, *Küst. ?*

Capreæ, *Linn.*

Galeruca, *Geoffr.*

lineola, *Fabr.*
 calmariensis, *Linn.*
 Lythri, *Gyll.*
 tenella, *Linn.*
 Sagittariæ, *Gyll.*
 Nymphææ, *Linn.*
 Viburni, *Payk.*

Agelastica, *Redt.*

Alni, *Linn.*
 halensis, *Linn.*

Phyllobrotica, *Redt.*

quadrifasciata, *Linn.*

Lyperus, *Geoff.*

circumfusus, *Marsh.*
 Brassicæ, *Panz.*

rufipes, *Fabr.*
 flavipes, *Linn.*

Halticidae.

Graptodera, *All.*

consobrina, *Dufts. Kuts.*
 Erucæ, *Redt.*
 ampelophaga, *Guér.*
 oleracea, *Linn.*
 v. carduorum, *Guér.*
 pusilla, *Dufts. Kutsch.*
 Helianthemii, *All.*

Linostoma, *All.*

mercurialis, *Fabr.*

Crepidodera, *All.*

rufipes, *Linn.*

nitidula, *Linn.*
 aurata, *Marsh. Foudr.*
 Helxines, *All.*
 versicolor, *Kutsch.*
 chloris, *Foudr.*
 Helxines, *Linn.*
 fulvicornis, *Fabr. All.*

pubescens, *E. H.*
 Atropæ, *All.*

transversa, *Marsh.*
 ferruginea, *Scop. Foudr.*
 exoleta, *All.*

Modeeri, *Linn.*

Salicariæ, *Payk.*
 ventralis, *Ill.*

Podagricina, *All.*

fuscipes, *Fabr.*
 fuscicornis, *Linn.*

Phyllotreta, Foudr.

tetrastigma, *Com.*
 Brassicæ, *Fabr.*
 4 pustulata, *Payk.*
 ochripes, *Curt.*
 excisa, *Redt.*
 sinuata, *Redt.*
 undulata, *Kutsch.*
 flexuosa, *Foudr. All.*
 nemorum, *Linn.*
 vittula, *Redt.*

atra, *E. H.*
 obscurella, *Ill. (Kutsch.)*
 pœciloceras, *Com.*
 punctulata, *Foudr.*
 melæna, *Ill.*
 Lepidii, *E. H.*
 nigripes, *All.*
 nodicornis, *Marsh.*
 antennata, *E. H.*

Batophila, Foudr.

Rubi, *Payk.*
 ærata, *Marsh.*

Aphthona, All.

lutescens, *Gyll.*
 cærulea, *Payk.*
 Pseudacori, *Marsh.*
 hilaris, *All.*
 venustula, *Kutsch.*
 Euphorbiæ, *All.*
 atrocærulea, *All.*
 cyanella, *Redt.*
 violacea, *E. H.*
 Pseudacori, *Redt.*
 herbigrada, *Curt.*

Mantura, Steph.

rustica, *Linn.*
 semiænea, *Fabr.*
 Chrysanthemii, *E. H.*
 obtusata, *Gyll.*
 Mathewsii, *Curt.*
 æraria, *Foudr.*

Thyamis, Steph.

obliterata, *Ros.*
 Anchusæ, *Payk.*

nigra, *E. H.*
 parvula, *Payk.*
 holsatica, *Linn.*
 quadripustulata, *Fabr.*
 Cynoglossi, *Marsh.*
 gravidula, *Kutsch.*
 brunnea, *All.*
 lurida, *Scop.*
 brunnea, *Redt.*
 lurida, *v. ? All.*
 dorsalis, *Fabr.*
 Nasturtii, *Fabr.*
 suturalis, *Marsh.*
 thoracica, *All.*
 v. fuscicollis, *Steph.*
 Verbasci, *Panz.*
 v. Thapsi, *Marsh.*
 lateralis, *Ill.*
 atricilla, *Gyll.*
 melanocephala, *Gyll.*
 piciceps, *Foudr.*
 atricapilla, *Redt.*
 abdominalis, *All.*
 Ballotæ, *Marsh.*
 pusilla, *Gyll.*
 femoralis, *Marsh.*
 ? exoleta, *Linn.*
 Reichei, *All.*
 rutila, *Ill.*
 tabida, *Panz.*
 æruginosa, *Foudr.*
 lævis, *All.*
 rubiginosa, *Foudr.*
 flavicornis, *All.*
 ochroleuca, *Marsh.*
 pellucida, *Foudr.*
 testacea, *All.*
 canescens, *Foudr. ?*
 ferruginea, *Foudr.*
 Teucris, *All.*

Plectroscelis, Redt.

concinna, *Marsh. 1802.*
 dentipes, *E. H. 1803.*
 aridella, *Payk.*
 Sahlbergii, *Gyll.*
 aridula, *Gyll.*
 confusa, *Bok.*

Psylliodes, Latr.

Dulcamaræ, *E. H.*
 chalcomera, *Ill.*

Hyoscyami, *Linn.*
 chrysocephala, *Linn.*
 v. elongata, *Gyll.*
 v. nigricollis, *Marsh.*
 cyanoptera, *Ill.*
 Napi, *E. H.*
 Rapæ, *Ill.*
 picipes, *Redt.*
 cuprea, *E. H.*
 cupronitens, *All.*
 attenuata, *E. H.*
 marcida, *Ill.*
 affinis, *Payk.*
 ? atricilla, *Linn.*
 rufilabris, *E. H.*
 v. picina, *Marsh.*
 luteola, *Müll.*

Dibolia, Latr.

Cynoglossi, *E. H.*

Apteropeda, Radt.

globosa, *Ill.*
 graminis, *E. H.*
 ciliata, *Ol.*
 splendida, *All.*

Mniophila, Steph.

muscorum, *E. H.*

Sphaeroderma, Steph.

testacea, *Payk.*
 Centaureæ, *Steph.*
 Cardui, *Gyll.*

Cassididae.**Cassida, Linn.**

equestris, *Fabr.*
 hemisphærica, *Herbst.*
 vittata, *Fabr.*
 murræa, *Linn.*
 rubiginosa, *Ill.*
 viridis, *Fabr.*
 vibex, *Linn.*
 sanguinolenta, *Fabr.*
 nobilis, *Linn.*
 oblonga, *Ill.*
 obsoleta, *Ill.*
 nebulosa, *Linn.*

TRIMERA.**Erotylidae.**Engis, *Fabr.*humeralis, *Fabr.*
rufifrons, *Fabr.***Triplax, Payk.**russica, *Linn.*
ænea, *Payk.***Tritoma, Fabr.**bipustulata, *Fabr.***Coccinellidae.****Hippodamia, Muls.**tredecimpunctata, *Linn.***Coccinella, Linn.**novemdecimpunctata, *L.*mutabilis, *Scrib.*obliterata, *Linn.*M-nigrum, *Ill.*
bipunctata, *Linn.*impustulata, *Linn.*variabilis, *Ill.*undecimpunctata, *Linn.*hieroglyphica, *Linn.*quinquepunctata, *Linn.*septempunctata, *Linn.*labilis, *Muls.***Halyzia, Muls.**ocellata, *Linn.*oblongoguttata, *Linn.*octodecimguttata, *Linn.*quatuordecimguttata, *L.*sedecim-guttata, *Linn.* ♀
duodecimguttata, *Pod.*bissexguttata, *Fabr.* ♂vigintiduo-punctata, *Linn.*quatuordecim-punctata, *L.*
v. conglobata, *Linn.***Micraspis, Redt.**duodecim-punctata, *Linn.***Chilocorus, Leach.**renipustulatus, *Scriba.*
bipustulatus, *Linn.***Exochomus, Redt.**quadripustulatus, *Linn.***Hyperaspis, Redt.**reppensis, *Herbst.***Epilachna, Chevr.**globosa, *Schn.***Platynaspis, Redt.**villosa, *Fourc.***Scymnus, Kug.**nigrinus, *Kug.*pygmæus, *Fourc.*frontalis, *Fabr.*discoideus, *Ill.*Mulsanti, *Waterh.*limbatus, *Waterh.*nalis, *Fabr.*hæmorrhoidalis, *Herbst.*capitatus, *Fabr.*ater, *Kug.*minimus, *Payk.***Rhizobius, Steph.**litura, *Fabr.***Coccidula, Kug.**scutellata, *Herbst.*rufa, *Herbst.***Endomychidae.****Endomychus, Panz.**coccineus, *Linn.***Lycoperdina, Latr.**Bovistæ, *Fabr.***HETEROMERA.****Tenebrionidae.****Blapides.****Blaps, Fabr.**mucronata, *Latr.*obtusa, *St.*Chevrolatii, *Sol.*similis, *Latr.*fatidica, *St.*obtusa, *Curt.***Coniontides.****Crypticus, Latr.**quisquilius, *Linn.*glaber, *Fabr.***Pedinides.****Heliopates, Muls.**gibbus, *Fabr.***Hopatrides.****Hopatrum, Fabr.**sabulosum, *Linn.***Microzoum, Redt.**tibiale, *Fabr.***Trachyscelides.****Phaleria, Latr.**cadaverina, *Fabr.*v. bimaculata, *Herbst.*

Bolitophagides.**Bolitophagus, Ill.**reticulatus, *Linn.***Heledona, Latr.**agaricola, *Herbst.***Diaperides.****Diaperis, Geoff.**Boleti, *Linn.***Scaphidema, Redt.**æneum, *Payk.***Platydema, Lap.**violaceum, *Fabr.***Alphitophagus, Steph.***quadripustulatus, *Steph.*
Populi, *Redt.***Ulomides.****Tribolium, M'Lea.***ferrugineum, *Fabr.***Gnathocerus, Thunb.***cornutus, *Fabr.***Hypophloeus, Hellw.***depressus, *Fabr.*castaneus, *Fabr.*bicolor, *Ol.***Uloma, Redt.***culinaris, *Linn.***Alphitobius, Steph.***diaperinus, *Panz.**piceus, *Ol.***Tenebrionides.****Tenebrio, Linn.***molitor, *Linn.**obscurus, *Fabr.***Helopides.****Helops, Fabr.**cæruleus, *Linn.*pallidus, *Curt.*testaceus, *Küst.*striatus, *Fourc.*caraboides, *Panz.***Cistelidae.****Cistela, Fabr.**Luperus, *Herbst.*fulvipes, *Fabr.*v. ferruginea, *Fabr.*ceramboides, *Linn.*murina, *Linn.*v. maura, *Fabr.*atra, *Fabr.***Mycetocharis, Latr.**bipustulata, *Ill.***Cteniopus, Sol.**sulphureus, *Linn.*♂ v. bicolor, *Fabr.***Omoplus, Sol.**Amerinæ, *Curt.*pinicola, *Redt.*pubescens, *Muls.***Melandryidae.****Tetratomides.****Tetratoma, Fabr.**fungorum, *Fabr.*Desmarestii, *Latr.*ancora, *Fabr.***Melandryides.****Orchesia, Latr.**micans, *Panz.*minor, *Walk.*sepicola, *Ros.*
undulata, *Kr.***Hallomenus, Panz.**humeralis, *Panz.*fuscus, *Gyll.***Phloeotrya, Steph.**rufipes, *Gyll.***Dircaea, Fabr.**lævigata, *Hell.*discolor, *Fabr.***Abdera, Steph.**quadrifasciata, *Curt.*bifasciata, *Marsh.*flexuosa, *Payk.***Hypulus, Payk.**quercinus, *Payk.***Melandrya, Fabr.**caraboides, *Linn.*canaliculata, *Fabr.***Conopalpus, Gyll.**testaceus, *Oliv.*♀ flavicollis, *Gyll.*Vigorsii, *Steph.***Osphya, Ill.**bipunctata, *Fabr.*præusta, *Oliv.***Lagriadae.****Lagria, Fabr.**hirta, *Linn.***Pyrochroidae.****Pyrochroa, Fabr.**coccinea, *Linn.*rubens, *Fabr.*pectinicornis, *Fabr.*satrapa, *Schrank.*

Pythidae.**Pytho**, *Fabr.*depressus, *Linn.***Salpingus**, *Ill.*ater, *Payk.*castaneus, *Panz.*foveolatus, *Ljungh.***Lissodema**, *Curt.*denticolle, *Gyll.*quadripustulatum, *Msh.*cursor, *Gyll.*Heyanum, *Curt.***Rhinosimus**, *Latr.*ruficollis, *Linn.*Roboris, *Fabr.*viridipennis, *Latr.*planirostris, *Fabr.***Oedemeridae.****Nacerdes**, *Schm.*melanura, *Linn.*rufipes, *Fabr.***Asclera**, *Schm.*sanguinicollis, *Fabr.*cærulea, *Linn.***Dryops**, *Fabr.*femorata, *Fabr.***Oedemera**, *Ol.*cærulea, *Linn.*lurida, *Marsh.***Meloidae.****Sitaris**, *Latr.*muralis, *Forst.*humeralis, *Fabr.***Lytta**, *Linn.*vesicatoria, *Linn.***Meloe**, *Linn.*proscarabæus, *Linn.*v. cyaneus, *Muls.*violaceus, *Marsh.*autumnalis, *Oliv.*cicatricosus, *Leach.*variegatus, *Don.*rugosus, *Marsh.*rugulosus, *Br.*brevicollis, *Panz.***Stylopidae.****Stylops**, *Kby.*Melittæ, *Kirby.*Kirbii, *Sow.*Dalii, *Curt.***Elenchus**, *Curt.*tenuicornis, *Kirb.*Walkeri, *Curt.***Halictophagus**, *Curt.*Curtisii, *Curt.***Rhipidophoridae.****Rhipidophorus**, *Fabr.*paradoxus, *Linn.***Mordellidae.****Tomoxia**, *Cost.*biguttata, *Gyll.***Mordella**, *Linn.*fasciata, *Fabr.***Mordellistena**, *Costa.*abdominalis, *Fabr.*♂ ventralis, *Fabr.*humeralis, *Linn.*v. axillaris, *Gyll.*v. brunnea, *Fabr.*lateralis, *Ol.*inæqualis, *Muls.***Anaspis**, *Geoffr.*frontalis, *Linn.*forcipata, *Muls.*Geoffroyi, *Müll.*ruficollis, *Fabr.*thoracica, *Linn.*subtestacea, *Steph.*maculata, *Fourc.*obscura, *Marsh.***Pedilidae.****Xylophilus**, *Latr.*pygmæus, *De G.*♂ v. oculatus, *Payk.*♀ melanocephalus, *Pz.*populneus, *Fabr.***Scraptia**, *Latr.*fusca, *Latr. ?*minuta, *Muls.*? fuscula, *Müll.*? nigricans, *Steph.***Anthicidae.****Notoxus**, *Geoffr.*monoceros, *Linn.***Anthicus**, *Payk.*humilis, *Germ.*bimaculatus, *Ill.*pedicularius, *Schr.*floralis, *Fab.*instabilis, *Laf.*angustatus, *Curt.*tristis, *Schm.*Schaumii, *Woll.*tristis, var. *Laf.*antherinus, *Linn.*

BRACHELY- TRA.

Scydmaenidae.

Cephennium, Müll.

intermedium, *Aub.*
thoracicum, *Müll.*

Euthia, Steph.

plicata, *Gyll.*
truncatella, *Er.*
scydmaenoides, *Steph.*
abbreviatella, *Er.*
Schaumii, *Kiesw.*

Scydmaenus, Latr.

Godarti, *Latr.*
scutellaris, *Müll.*
collaris, *Müll.*
pusillus, *Müll.*

exilis, *Er.*

angulatus, *Müll.*
elongatulus, *Müll.*
rubicundus, *Sch.*
Sparshalli, *Denny.*
pumilio, *Sch.*

denticornis, *Müll.*
rutilipennis, *Müll.*

hirticornis, *Ill.*
nanus, *Sch.*

tarsatus, *Müll.*

Pselaphidae.

Pselaphus, Herbst.

Heisei, *Herbst.*
dresdensis, *Herbst.*

Tychus, Leach.

niger, *Payk.*
ibericus, *Motsch.*
dichrous, *Schmidt.*

Trichonyx, Chd.

sulcicollis, *Reich.*
Märkelii, *Aub.*

Batrisus, Aub.

venustus, *Reich.?*

Bryaxis, Leach.

sanguinea, *Linn.*

fossulata, *Reich.*
simplex, *Waterh.*

Lefebvrei, *Aub.*
Helferi, *Schm.*

hæmatica, *Reich.*

juncorum, *Leach.*
imprensa, *Panz.*

Bythinus, Leach.

clavicornis, *Panz.*
glabricollis, *Leach.*
puncticollis, *Denny.*
nigripennis, *Aub.*
bulbifer, *Reich.*

Curtisii, *Denny.*
securiger, *Reich.*
Burellii, *Denny.*
uncicornis, *Aub.*

Euplectus, Leach.

Kunzei, *Aub.?*
signatus, *Reich.*
sanguineus, *Aub.*
nanus, *Waterh.*
Karstenii, *Reich.*
nanus, *Reich.*

Kirbii, *Waterh.*
ambiguus, *Reich.*
nigricans, *Chd.*
Dennii, *Waterh.*
bicolor, *Denny.*
glabriculus, *Gyll.*

Trimium, Aub.

brevicorne, *Reich.*

Claviger, Preys.

foveolatus, *Müll.*

Staphylinidae.

Aleocharides.

Autalia, Steph.

imprensa, *Ol.*
rivularis, *Gr.*

Falagria, Steph.

thoracica, *Curt.*
sulcata, *Payk.*
sulcatula, *Grav.*
obscura, *Curt.*

Bolitochara, Mann.

lucida, *Gr.*
lunulata, *Payk.*
bella, *Märk.*
obliqua, *Er.*

Phytosus, Curt.

spinifer, *Curt.*
nigriventris, *Chev.*

Actecharis, Jans MSS.

Readingii, *Jans MSS.*

Silusa, Er.

rubiginosa, *Er.*

Ocalea, Er.

castanea, *Er.*
? rufilabris, *Sahlb.*
rivularis, *Mill.*
badia, *Er.*
prolixa, *Gyll.*

Ischnoglossa, Kr.

prolixa, *Gr.*
v. ? rufopicea, *Kr.*
corticalis, *Steph.*
corticina, *Er.*
? pulchella, *Sahlb.*

Leptusa, Kr.

fumida, *Er.*

ruficollis, *Er.*

Thiasophila, *Kr.*

angulata, *Er.*

inquinata, *Märk.*

diversa, *Muls.*

Euryusa, *Er.*

laticollis, *Heer.*

linearis, *Märk.*

Kirbyi, *Jans.*

Homoeusa, *Kr.*

acuminata, *Märk.*

Crataraea, *Thoms.*

gentilis, *Märk.*

pulla, *Gyll.*

nidicola, *Fairm.*

prætexta, *Er.*

suturalis, *Th.*

Aleochara, *Gr.*

ruficornis, *Gr.*

fuscipes, *Gr.*

v. lata, *Gr.*

tristis, *Gr.*

nigripes, *Mill.*

? bimaculata, *Steph.*

bipunctata, *Gr.*

brevipennis, *Gr.*

obscura, *Gr.*

grisea, *Kr.*

? Kirbyi, *Steph.*

mœsta, *Gr.*

brunneipennis, *Kr.*

mœrens, *Th. Gyll. ?*

? sanguinea, *Steph.*

mycetophaga, *Kr.*

lata, *Th.*

mœrens, *Er.*

lugubris, *Aub.*

linearis, *Th.*

bisignata, *Er.*

bilineata, *Gyll.*

nitida, *Gr.*

inconspicua, *Aub. ?*

morion, *Gr.*

Dinarda, *Lac.*

Mærkelii, *Kiesw.*

dentata, *Gr.*

Lomechusa, *Gr.*

paradoxus, *Gr.*

emarginatus, *Gr.*

v. nigricollis, *Kr.*

Myrmedonia, *Er.*

Haworthi, *Steph.*

collaris, *Payk.*

humeralis, *Gr.*

cognata, *Märk.*

funesta, *Gr.*

similis, *Märk.*

limbata, *Payk.*

lugens, *Gr.*

laticollis, *Märk.*

canaliculata, *Fabr.*

Callidera, *Mann.*

nigricollis, *Payk.*

propinqua, *Aub.*

? rufa, *Kr.*

forticornis, *Lac.*

nigrita, *Mann. ?*

riparia, *Er.*

æthiops, *Gr.*

umbrosa, *Er.*

longitarsis, *Er.*

rubicunda, *Er.*

Tachyusa, *Er.*

constricta, *Er.*

coarctata, *Er.*

scitula, *Er.*

chalybea, *Er.*

? flavitarsis, *Sahlb.*

? leucopa, *Marsh.*

umbratica, *Er.*

atra, *Gr.*

concolor, *Er.*

uvula, *Er.*

sulcata, *Kiesw.*

Ocyusa, *Kr.*

maura, *Er.*

picina, *Aub.*

ruficornis, *Kr.*

Oxypoda, *Mann.*

ruficornis, *Gyll.*

v. spectabilis, *Märk.*

lividipennis, *Mann.*

luteipennis, *Er.*

vittata, *Märk.*

opaca, *Gray.*

longiuscula, *Er.*

umbrata, *Er.*

nigrina, *Waterh.*

umbrata, *Gyll.*

cuniculina, *Er.*

brevicornis, *Steph.*

exigua, *Er.*

præcox, *Er.*

alternans, *Grav.*

lucens, *Muls.*

rufula, *Muls.*

riparia, *Fairm.*

aterrima, *Waterh.*

recondita, *Kr.*

formiceticola, *Märk.*

promiscua, *Er.*

? hæmorrhœa, *Sahlb.*

myrmecophila, *Märk.*

nigrofusca, *Waterh.*

amœna, *Fairm.*

flavicornis, *Kr.*

annularis, *Sahlb.*

cingulata, *Mann.*

helvola, *Er.*

? pallidula, *Sahlb.*

ferruginea, *Er.*

fuscula, *Muls.*

? brachyptera, *Steph.*

misella, *Kr.*

Callicerus, *Gr.*

rigidicornis, *Er.*

obscurus, *Gr.*

Homalota, *Mann.*

currax, *Kr.*

debilicornis, *Er.*
 velox, *Kr.*
 fragilicornis, *Kr.*

oblonga, *Er.*
 pagana, *Er.*
 arvicola, *Th.*
 vestita, *Gr.*
 quisquiliarum, *Gyll.*
 umbonata, *Er.*
 fucicola, *Th.*
 ? vicina, *Steph.*
 nitidula, *Kr.*
 graminicola, *Gr.*
 languida, *Er.*
 pavens, *Er.*
 ? sulcifrons, *Steph.*
 lissonura, *Th.*
 gregaria, *Er.*
 planifrons, *Waterh.*
 elongatula, *Gr.*
 hygrobia, *Th.*
 hygrotopora, *Kr.*
 hygrophila, *Fairm.*
 luridipennis, *Mannh.*
 uliginosa, *Th.*
 fluviatilis, *Kr.*
 imbecilla, *Waterh.*
 cambrica, *Woll.*
 fragilis, *Kr.*
 luteipes, *Er.*
 labilis, *Er.*
 carbonaria, *Sahlb.*
 cærulea, *Sahlb.*
 ripicola, *Kiesw.*
 plumbea, *Waterh.*
 Fairmairei, *Bris.*
 fallax, *Kr.*

puncticeps, *Th.*
 maritima, *Waterh.*
 flavipes, *Th.*
 occulta, *Er.*
 monticola, *Th.*
 excellens, *Kr.*
 fuscofemorata, *Waterh.*
 picipes, *Th.*
 incana, *Er.*
 nigella, *Er.*
 æquata, *Er.*
 angustula, *Gyll.*
 linearis, *Gr.*
 pilicornis, *Th.*

pilosa, *Kr.*
 debilis, *Er.*
 deformis, *Kr.*

ægra, *Heer.*
 plana, *Gyll.*
 immersa, *Er.*
 planicollis, *Th.*
 cuspidata, *Er.*

gemina, *Er.*
 analis, *Gr.*
 soror, *Kr.?*
 ? platycephala, *Th.*
 vilis, *Er.*

palleola, *Er.*
 exilis, *Er.*
 inconspicua, *Er.*
 talpa, *Heer.*
 parallela, *Mannh.*

flavipes, *Gr.*
 confusa, *Märk.*
 anceps, *Er.*

brunnea, *Fabr.*
 depressa, *Fabr.*
 hepatica, *Er.*
 merdaria, *Th.*
 ? xanthoptera, *Steph.*
 validicornis, *Märk.*
 succicola, *Th.*
 ? euryptera, *Steph.*
 trinotata, *Kr.*
 socialis, *Th.*
 triangulum, *Kr.*
 valida, *Kr.*
 fungicola, *Th.*
 ? nigricornis, *Steph.*
 xanthopa, *Th.*
 sublinearis, *Kr.*
 boletobia, *Th.*
 ? nigrītula, *Gr.*
 nigrītula, *Th.*
 ? liturata, *Steph.*
 sodalis, *Er.*
 divisa, *Märk.*
 aridula, *Th.*
 Thomsoni, *Jans.*
 nigricornis, *Th.*
 coriaria, *Kr.*
 autumnalis, *Er.*

gagatina, *Baudi.*
 variabilis, *Kr.*
 ? compressicollis, *Th.*
 nigra, *Kr.*

cinnamomea, *Gr.*
 hospita, *Märk.*
 subterranea, *Muls.*
 ochracea, *Er.*
 ? scapularis, *Sahlb.*
 oblita, *Er.*
 sericea, *Muls.*
 ? amicula, *Steph.*
 sordidula, *Er.*
 inquinula, *Er.*

marcida, *Er.*
 intermedia, *Th.*
 longicornis, *Gr.*
 subrugosa, *Kiesw.*
 æneipennis, *Th.*
 atramentaria, *Gyll.*
 villosula, *Kr.*
 nigripes, *Th.*
 angusticollis, *Th.*
 palustris, *Kiesw.*
 currens, *Woll.*
 lepida, *Kr.*
 corvina, *Th.*

melanaria, *Sahlb.*
 lividipennis, *Er.*
 ? sordida, *Marsh.*
 testudinea, *Er.*
 aterrima, *Gr.*
 pygmæa, *Gr.*
 v. obfuscata, *Gr.*
 vernacula, *Er.*
 ? fusca, *Sahlb.*
 ? laticollis, *Steph.*
 subsinuata, *Er.*
 fimetaria, *Th.*
 ? castanipes, *Steph.*
 picipes, *Wat. Cat.*
 cauta, *Er.*
 ? parva, *Sahlb.*
 parvula, *Mannh.*
 celata, *Er.*
 pulchra, *Kr.*
 fungi, *Gr.*
 orbata, *Er.*
 clientula, *Gr.*

tibialis, *Heer*.
 circellaris, *Gr*.
 cæsula, *Er*.
 brachyptera, *Th*.

Placusa, *Er*.

pumilio, *Gr*.
 infima, *Er*.

Phloeopora, *Er*.

reptans, *Gr*.
 corticalis, *Gr*.

Hygronoma, *Er*.

dimidiata, *Gr*.

Schistoglossa, *Kr*.

viduata, *Er*.

Oligota, *Mann*.

pusillima, *Gr*.
 atomaria, *Er*.
 inflata, *Mannh*.
 subtilis, *Er*.

apicata, *Er*.
 abdominalis, *Scr*.
 xanthopyga, *Kr*.
 apicata, *Fairm*.
 flavicornis, *Lac*.

Gyrophæna, *Mann*.

complicans, *Westw*.
 gentilis, *Er*.
 pulchella, *Heer*.
 affinis, *Sahlb*.
 nana, *Payk*.
 congrua, *Er*.
 ? fasciata, *Marsh*.
 lævipennis, *Kr*.
 lucidula, *Er*.
 minima, *Er*.
 strictula, *Er*.
 manca, *Er*.

lævicollis, *Kr*.

Gymnusides.

Diglossa, *Hal*.

mersa, *Hal*.

Myllaena, *Er*.

dubia, *Gr*.
 intermedia, *Er*.
 minuta, *Gr*.
 brevicornis, *Matth*.
 gracilis, *Heer*.
 elongata, *Matth*.
 gracilis, *Matth*.
 forticornis, *Kr*.
 infuscata, *Kr*.

Gymnusa, *Er*.

brevicollis, *Payk*.
 variegata, *Kiesw*.

Dinopsis, *Matth*.

fuscata, *Matth*.
 laticollis, *Er*.
 ? erosus, *Steph*.

Tachyporides.

Hypocypsus, *Mann*.

longicornis, *Payk*.
 pulicarius, *Er*.
 discoideus, *Er*.
 rufipes, *Kr*.
 læviusculus, *Mannh*.
 ? anisotomoides, *Steph*.
 seminulum, *Er*.
 pygmæus, *Kr*.

Trichophya, *Mann*.

pilicornis, *Gyll*.

Habrocerus, *Er*.

capillaricornis, *Gr*.

Leucoparyphus, *Kr*.

silphoides, *Linn*.

Tachinus, *Gr*.

humeralis, *Gr*.
 rufescens, *Muls*.
 rufipes, *De G*.
 flavipes, *Fabr*.
 rufipennis, *Gyll*.

palliolatus, *Kr*.

? scapularis, *Steph*.
 bipustulatus, *Fabr*.
 subterraneus, *Linn*.
 marginellus, *Fabr*.
 laticollis, *Gr*.
 collaris, *Gr*.
 elongatus, *Gyll*.

Tachyporus, *Gr*.

obtusus, *Linn*.
 formosus, *Matth*.
 rufus, *Er*.
 abdominalis, *Er*.
 solutus, *Er*.
 chrysomelinus, *Linn*.
 hypnorum, *Fabr*.
 nitidicollis, *Steph*.
 humerosus, *Er*.
 tersus, *Er*.
 transversalis, *Gr*.
 scitulus, *Er*.
 pusillus, *Gr*.
 brunneus, *Fabr*.

Lamprinus, *Heer*.

saginitus, *Gr*.

Conosoma, *Kr*.

litoreum, *Linn*.
 pubescens, *Gr*.
 fuscum, *Er*.
 ? immaculatum, *Steph*.
 pedicularium, *Gr*.
 lividum, *Er*.
 bipunctatum, *Gr*.

Bolitobius, *Steph*.

analis, *Payk*.
 cingulatus, *Mannh*.
 inclinans, *Gr*.
 formosus, *Grav*.

atricapillus, *Fabr*.
 trinotatus, *Er*.
 exoletus, *Er*.
 pygmæus, *Fabr*.

cernuus, *Gr*.
 castaneus, *Hardy*.

Mycetoporus, Mann.

angularis, *Muls.*
 lucidus, *Er.*
 punctus, *Gyll.*
 bicolor, *Mäkl.*
 splendens, *Marsh.*
 longulus, *Mannh.*
 ruficornis, *Kr.*
 punctiventris, *Th.*
 ? brunneus, *Marsh.*
 lepidus, *Gr.*
 piceus, *Mäkl.*
 nanus, *Gr.*
 pronus, *Er.*
 ? clavicornis, *Steph.*
 splendidus, *Gr.*

Quediadae.**Acylophorus, Nord.**

glabricollis, *Gr.*

Euryporus, Er.

picipes, *Payk.*

Heterothops, Steph.

prævius, *Er.*
 binotatus, *Er.*
 dissimilis, *Gr.*
 quadripunctulus, *Gr.*

Quedius, Steph.

dilatatus, *Fabr.*

lateralis, *Gr.*
 fulgidus, *Fabr.*
 variabilis, *Gyll.*
 v. ? truncicola, *Fairm.*
 longicornis, *Kr.*
 cruentus, *Ol.*
 xanthopus, *Er.*
 scitus, *Gr.*
 v. atricillus, *Gr.*
 lævigatus, *Gyll.*
 impressus, *Panz.*
 brevis, *Er.*

molochinus, *Gr.*
 tristis, *Gr.*

frontalis, *Nordm.*
 fuliginosus, *Gr.*

 tristis, *Gyll.*
 picipes, *Mann.*
 peltatus, *Er.*
 ? fumatus, *Steph.*
 umbrinus, *Er.*
 modestus, *Kr.?*
 nigriceps, *Kr.*
 ? ruficollis, *Steph.*
 suturalis, *Kiesw.*
 ? humeralis, *Steph.*
 maurorufus, *Gr.*
 collaris, *Er.*
 ? fulvicollis, *Steph.*
 rufipes, *Gr.*
 ? semiobscurus, *Marsh.*
 semiobscurus, *Er.*
 ? semiæneus, *Steph.*
 attenuatus, *Gyll.*
 boops, *Gr.*
 scintillans, *Gr.*
 ? fuscipes, *Steph.*
 auricomus, *Kiesw.*
 chrysurus, *Kiesw.*
 v. ? infuscatus, *Er.*

Staphylinides.**Creophilus, Steph.**

maxillosus, *Linn.*

Emys, Steph.

hirtus, *Linn.*

Leistotrophus, Perty.

nebulosus, *Fabr.*
 murinus, *Linn.*

Staphylinus, Linn.

stercorarius, *Ol.*
 latebricola, *Gr.*
 rupicola, *Kiesw.*
 fulvipes, *Scop.*

pubescens, *De G.*
 erythropterus, *Linn.*
 cæsareus, *Ced.*

Ocypus, Steph.

olens, *Müll.*
 cyaneus, *Payk.*

similis, *Fabr.*
 brunnipes, *Fabr.*
 fuscatus, *Gr.*
 cupreus, *Rossi.*

pedator, *Gr.*
 ater, *Gr.*

morio, *Gr.*
 Saulcyi, *Reiche.*
 compressus, *Marsh.*

Philonthus, Mannh.

splendens, *Fabr.*
 intermedius, *Lac.*
 laminatus, *Cr.*

succicola, *Thoms.*
 carbonarius, *Er.*
 æneus, *Rossi.*
 temporalis, *Muls.*
 punctiventris, *Kr.*
 scutatus, *Er.*

decorus, *Gr.*
 politus, *Fabr.*
 lucens, *Mannh.*
 atratus, *Gr.*
 v. cærulescens, *Lac.*
 marginatus, *Fabr.*
 umbratilis, *Gr.*
 varius, *Gyll.*
 v. bimaculatus, *Gr.*
 albipes, *Gr.*
 lepidus, *Gr.*
 v. gilvipes, *Er.*
 nitidulus, *Gr.*
 sordidus, *Gr.*
 v. placidus, *Er.*
 fimetarius, *Gr.*
 cephalotes, *Gr.*
 fuscus, *Gr.*

xantholoma, *Gr.*
 v. variegatus, *Er.*
 fucicola, *Curt.*

ebeninus, *Gr.*
 v. ochropus, *Gr.*
 v. corruscus, *Er.*
 corvinus, *Er.*
 fumigatus, *Er.*

bipustulatus, *Panz.*
 sanguinolentus, *Gr.*
 scybalarius, *Nordm.*
 ? longicornis, *Steph.*
 varians, *Er.*
 opacus, *Gr.*
 agilis, *Gr.*
 debilis, *Gr.*
 ventralis, *Gr.*
 discoideus, *Gr.*
 vernalis, *Gr.*
 quisquiliarius, *Gyll.*
 v. rubidus, *Er.*
 splendidulus, *Gr.*
 thermarum, *Aub.*
 exilis, *Kr.*

fumarius, *Gr.*
 nigrita, *Gr.*
 micans, *Gr.*
 fulvipes, *Fabr.*
 trossulus, *Nordm.* ?
 nigritulus, *Gr.*
 pullus, *Nordm.*

punctus, *Gr.*
 v. binotatus, *Gr.*
 puella, *Nordm.*
 parumpunctatus, *Er.*

sericeus, *Holme.*

cinerascens, *Gr.*
 signaticornis, *Muls.*
 elongatulus, *Er.*
 ? villosulus, *Steph.*
 procerulus, *Gr.*
 prolixus, *Er.*

Xantholinides.

Xantholinus, Serv.

glabratus, *Gr.*
 punctulatus, *Payk.*
 ochraceus, *Gyll.*
 atratus, *Heer.*
 confusus, *Muls.*

tricolor, *Fabr.*
 glaber, *Nordm.*
 longiventris, *Heer.*

linearis, *Ol.*

fulgidus, *Fabr.*

Leptacinus, Er.

parumpunctatus, *Gyll.*
 batychrus, *Gyll.*
 linearis, *Gr.*
 formicetorum, *Märk.*

Baptolinus, Kr.

alternans, *Gr.*

Othius, Steph.

fulvipennis, *Fabr.*
 punctipennis, *Lac.*
 ? læviusculus, *Steph.*
 melanocephalus, *Gr.*

Paederides.

Lathrobium, Gr.

brunnipes, *Fabr.*
 elongatum, *Linn.*
 boreale, *Hochh.*
 geminum, *Kr.*
 fulvipenne, *Gr.*
 rufipenne, *Gyll.*

multipunctum, *Gr.*

quadratum, *Payk.*
 terminatum, *Gr.*
 punctatum, *Zett.*
 filiforme, *Gr.*
 longulum, *Gr.*
 pallidum, *Nordm.*

angusticolle, *Lac.*
 longicorne, *Redt.*

Achenium, Curt.

depressum, *Gr.*
 humile, *Nic.*

Cryptobium, Mann.

fracticorne, *Payk.*

Stilicus, Latr.

fragilis, *Gr.*
 rufipes, *Ger.*
 subtilis, *Er.*
 similis, *Er.*
 geniculatus, *Er.*
 affinis, *Er.*
 orbiculatus, *Payk.*

Scopæus, Er.

lævigatus, *Gyll.*
 minutus, *Er.*
 ? sulcicollis, *Steph.*

Lithocharis, Lac.

castanea, *Gr.*
 fuscula, *Mannh.*
 rufa, *Muls.*
 brunnea, *Er.*
 ripicola, *Kr.*
 fuscula, *Muls.*
 apicalis, *Kr.*
 ochracea, *Gr.*
 ruficollis, *Kr.*
 ? tricolor, *Marsh.*
 melanocephala, *Fabr.*
 obsoleta, *Nordm.*

Sunius, Steph.

filiformis, *Latr.*
 intermedius, *Er.*
 angustatus, *Payk.*

Paederus, Fabr.

littoralis, *Gr.*
 riparius, *Linn.*
 fuscipes, *Curt.*
 longipennis, *Er.*
 caligatus, *Er.*

Stenides.

Evaesthetus, Gr.

scaber, *Gr.*
 læviusculus, *Mannh.*

ruficapillus, *Lac.*
scaber, *Gyll.*

Dianous, *Leach.*

cærulescens, *Gyll.*

Stenus, *Latr.*

biguttatus, *Linn.*
bipunctatus, *Er.*
guttula, *Müll.*
bimaculatus, *Gyll.*

Juno, *Fabr.*
asphaltinus, *Br.*
ater, *Mannh.*

speculator, *Lac.*
boops, *Gyll.*
providus, *Er.*
Rogeri, *Kr.*
Guynemeri, *Duv.*
rugosus, *Kiesw.*

lustrator, *Er.*
scrutator, *Er.*
sylvester, *Er.*

proditor, *Er.*
Argus, *Er.*
vafellus, *Er.*
? submarginatus, *Steph.*
fuscipes, *Gr.*
circularis, *Gr.*
declaratus, *Er.*
pumilio, *Er.*

exiguus, *Er.*
pusillus, *Er.*
morio, *Gr.*
atratus, *Er.*
cinerascens, *Er.*
? nigripalpis, *Th.*
? melanarius, *Steph.*
æmulus, *Er.*
? nitens, *Steph.*
canaliculatus, *Gyll.*
melanopus, *Marsh.*
nitidus, *Lac.* 1835.
incrassatus, *Er.*
buphthalmus, *Gr.*

carbonarius, *Gyll.*
niger, *Mannh.*
opacus, *Er.*

nigritulus, *Gyll. Th.*
campestris, *Er.*
? unicolor, *Steph.*
laticollis, *Th.*
unicolor, *Er.*
? brunripes, *Steph.*
crassiventris, *Th.*
nigritulus, *Er.*
littoralis, *Th.*
opticus, *Gr.*

contractus, *Er.*
? fornicatus, *Steph.*
latifrons, *Er.*
paganus, *Er.*
? fulvicornis, *Steph.*
tarsalis, *Ljungh.*
oculatus, *Gr.*
solutus, *Er.*
cicindeloides, *Gr.*

subimpressus, *Er.*
? pubescens, *Steph.*
binotatus, *Ljungh.*
plantaris, *Er.*
bifoveolatus, *Gyll.*
plancus, *Er.*
? nitidus, *Steph.*
brevicollis, *Th.* 1857.
foveicollis, *Kr.*
bifoveolatus, *Er.*
rusticus, *Er.*
? picipes, *Steph.*
tempestivus, *Er.*
? nitidiusculus, *Steph.*
picipennis, *Er.*
subæneus, *Er.*
? gonymelas, *Steph.*
impressus, *Germ.*
impressipennis, *Duv.*
carinifrons, *Fairm.*
sardous, *Kr.*
? Ossium, *Steph.*
geniculatus, *Gr.*
palustris, *Er.*
flavipes, *Er.*
pallipes, *Gr.*
fuscicornis, *Er.*
filum, *Er.*

Oxytelides.

Oxyporus, *Fabr.*

rufus, *Linn.*

Bledius, *Curt.*

taurus, *Germ.*
bicornis, *Germ.*
unicornis, *Germ.*
tricornis, *Herbst.*
subterraneus, *Er.*
arenarius, *Payk.*
opacus, *Block.*
fracticornis, *Payk.*
femoralis, *Gyll.*
sus, *Aub.*
longulus, *Er.*
atricapillus, *Germ.*
crassicollis, *Lac.*

Platystethus, *Mann.*

cornutus, *Gr.*
morsitans, *Payk.*
capito, *Heer.*
nodifrons, *Sahlb.*
nitens, *Sahlb.*

Oxytelus, *Gr.*

rugosus, *Fabr.*
insecatus, *Gr.*
piceus, *Linn.*
luteipennis, *Er.*
? laqueatus, *Marsh.*
sculptus, *Gr.*
inustus, *Gr.*
sculpturatus, *Gr.*
maritimus, *Th.*
? oceanus, *Fauv.*
complanatus, *Er.*
nitidulus, *Gr.*
depressus, *Gr.*

Haploderus, *Steph.*

cælatus, *Gr.*

Trogophloeus, Mann.

scrobiculatus, *Er.*
 ? arcuatus, *Steph.*
 riparius, *Lac.*
 bilineatus, *Er.*
 elongatulus, *Er.*
 fuliginosus, *Gr.*
 corticinus, *Gr.*
 halophilus, *Kiesw.*
 foveolatus, *Sahlb.*
 pusillus, *Gr.*

Thinobius, Kiesw.

brunneipennis, *Kr.*
 longipennis, *Heer.*
 brevipennis, *Kiesw.*

Ancyrophorus, Kr.

longipennis, *Fairm.*
 homalinus, *Er.*

Syntomium, Er.

æneum, *Müll.*

Coprophilus, Latr.

striatulus, *Fabr.*

Acrognathus, Er.

mandibularis, *Gyll.*

Deleaster, Er.

dichrous, *Gr.*

Homaliades.**Anthophagus, Gr.**

alpinus, *Fabr.*
 testaceus, *Gr.*

nigrita, *Müll.*
 plagiatus, *Gr.* var. ?
 globulicollis, *Mannh.*

Lesteua, Latr.

pubescens, *Mann.*
 bicolor, *Payk.*
 punctata, *Er.*

Acidota, Mannh.

crenata, *Fabr.*
 cruentata, *Mannh.*

Olophrum, Er.

piceum, *Gyll.*

Lathrimæum, Er.

luteum, *Er.*
 ? unicolor, *Marsh.*
 atrocephalum, *Gyll.*
 melanocephalum, *Msh.*

Deliphron, Er.

tectum, *Payk.*

Arpedium, Er.

brachypterum, *Gr.*

Micra(ca)lymma, Westw.

brevipenne, *Gyll.*

Philorinum, Kr.

humile, *Er.*

Coryphium, Steph.

angusticolle, *Steph.*
 ? bifoveolatum, *Thoms.*

Homalium, Gr.

læviusculum, *Gyll.*
 riparium, *Th.*
 fucicola, *Kr.*
 rivulare, *Payk.*
 fossulatum, *Er.*
 Allardii, *Fairm.*
 cæsum, *Gr.*
 nigriceps, *Kiesw.*
 Oxyacanthæ, *Gr.*

exiguum, *Gyll.*
 monilicorne, *Gyll.*

planum, *Payk.*
 pusillum, *Gr.*
 deplanatum, *Gyll.*
 concinnum, *Marsh.*
 testaceum, *Er.*
 vile, *Er.*
 brevicorne, *Er.*
 crassicorne, *Matth.*
 Salicis, *Gyll.*
 lucidum, *Er.*
 ? iopterum, *Steph.*
 florale, *Payk.*
 nigrum, *Gr.*
 striatum, *Gr.*

pygmæum, *Payk.*
 inflatum, *Gyll.*

Eusphalerum, Kr.

triviale, *Er.*
 ? Primulæ, *Steph.*

Anthobium, Steph.

minutum, *Fabr.*
 ophthalmicum, *Payk.*
 torquatum, *Marsh.*
 Sorbi, *Gyll.*

Protinides.**Protinus, Latr.**

brevicollis, *Er.*
 ? ovalis, *Steph.*
 brachypterus, *Latr.*
 macropterus, *Gyll.*
 atomarius, *Er.*

Megarthus, Steph.

depressus, *Payk.*
 sinuatocollis, *Lac.*
 affinis, *Mill.*
 Bellevoyei, *Saulcy.*
 denticollis, *Beck.*
 hemipterus, *Ill.*

Phloeobium, Er. clypeatum, Müll.	Phloeocharis, Mann. subtilissima, Mannh.	Micropeplides. Micropeplus, Latr. porcatus, Payk. tesserula, Curt. staphylinoides, Marsh. fulvus, Er. Margaritæ, Duv.
Phloeocharides. Pseudopsis, Newm. sulcata, Newm.	Piestides. Prognatha, Latr. quadricornis, Kirby.	

ADDENDA.

- P. 4, col. 3, *Tachys Fockii*, Humm.
 ... 9, ... 3, *Ptilium affine*, Er.
 ... 17, ... 2, *Dryophilus pusillus*, Gyll.
 ... 18, ... 1, *Octotemnus? lineatocribratus*, Mell.
 ... 20, ... 1, **Rhamphus**, Clairv.
 flavicornis, Clairv.
 ... 24, ... 3, *Zeugophora Turneri*, Power.
 ... 31, ... 3, *Oxypoda lentula*, Er.
 curticollis, Th.

CORRIGENDA.

- P. 11, col. 3, *Monotoma conicicollis*, Aub., lege *angusticollis*, Gyll. Th.
 angusticollis, Gyll. *conicicollis*, Aub.
 formicetorum, Th.
 angusticollis, Gyll.
 ... 32, ... 2, *Xanthopa*, Th. lege *Xanthopus*, Th.

REPUTED BRITISH SPECIES.

The following species have been included in the catalogues of British Coleoptera, but further evidence is required to prove that they are really of indigenous origin :

GEODEPHAGA.

Carabus, Linn.

cancellatus, Ill.
auratus, Linn.
convexus, Fabr.

Calosoma, Web.

**sycophanta, Linn.*

Brachinus, Web.

sclopetta, Fabr.

Lebia, Latr.

turcica, Fabr.
hemorrhoidalis, Fabr.

Cymindis, Latr.

humeralis, Fabr.

Chlaenius, Bon.

agrorum, Schr.

Anchomenus, Bon.

modestus, St.

Diachromus, Er.

germanus, Linn.

Harpalus, Latr.

luteicornis, Duft.

HYDRADEPHAGA.

Hydroporus, Clairv.
opatrinus, Germ.

Hydaticus, Leach.
stagnalis, Fabr.

NECROPHAGA.

Brontes, Fabr.
planatus, Linn.

Attagenus, Latr.
**verbasci, Linn.*

Anthrenus, Geoffr.
**Scrophulariæ, Linn.*
**Pimpinellæ, Fabr.*

CORDYLOCE-RATA.

Nosodendrum, Latr.
fasciculare, Fabr.

Platysoma, Leach.
frontale, Payk.

depressum, Fabr.
angustatum, E. H.

Anomala, Köppe.
Donovani, Marsh.

Anisoplia, Meg.
tempestiva, Er.
crucifera, Steph.

Aphodius, Ill.
bimaculatus, Fabr.
pecari, Fabr.
villosus, Gyll.

Rhyssenus, Muls.
germanus, Linn.

Psammodius, Gyll.
cæsus, Panz.

Platycerus, Geoffr.
caraboides, Linn.

PRIOCERATA.

Cer(at)ophytum, Latr.
elateroides, Latr.

Adelocera, Latr.
varia, Oliv.

Corymbites, *Latr.*
cruciatus, *Fabr.*

Limonius, *Eschs.*
lythrodes, *Germ.*

Anthocomus, *Er.*
equestris, *Linn.*

Ebaeus, *Er.*
pedicularius, *Schr.*
thoracicus, *Fabr.*

Danacaea, *Lap.*
pallipes, *Panz.*

Tarsostenus, *Spin.*
univittatus, *Rossi.*

Trichodes, *Herbst.*
**apiarius*, *Linn.*
**alvearius*, *Fabr.*

Apate, *Fabr.*
capucina, *Linn.*

RHYNCHOPHORA.

Orchestes, *Ill.*
Lonicerae, *Fabr.*

Balaninus, *Germ.*
crux, *Fabr.*

Pissodes, *Germ.*
piceae, *Ill.*

Cathormiocerus,
Schh.
**socius*, *Schh.*

EUCERATA.

Callidium, *Fabr.*
sanguineum, *Linn.*

Monohammus, *Latr.*
**sartor*, *Fabr.*

Strangalia, *Serv.*
attenuata, *Linn.*

Leptura, *Linn.*
virens, *Linn.*
sanguinolenta, *Linn.*

PHYTOPHAGA.

Cryptocephalus, *Geoff.*
pini, *Linn.*

Aphthona, *All.*
cyparissiae, *E. H.*

Cassida, *Linn.*
margaritacea, *Fabr.*
ferruginea, *Fabr.*

TRIMERA.

Triplax, *Payk.*
ruficollis, *Lac.*
rufipes, *Panz.*
nigriceps, *Lac.*

Coccinella, *Linn.*
hyperborea, *Payk.*
14-pustulata, *Linn.*
10-guttata, *Linn.*

Exochomus, *Redt.*
auritus, *Scriba.*

Scymnus, *Kug.*
fasciatus, *Fourc.*

marginalis, *Rossi.*

HETEROMERA.

Blaps, *Fabr.*
**mortisaga*, *Linn.*

Helops, *Fabr.*
lanipes, *Linn.*

Mordella, *Linn.*
aculeata, *Linn.*

Mycterus, *Clairv.*
curculionoides, *Fabr.*

BRACHELYTRA.

Lomechusa, *Gr.*
strumosa, *Fabr.*

Astrapaeus, *Gr.*
ulmi, *Rossi.*

Ocypus, *Steph.*
macrocephalus, *Gr.*

Philonthus, *Mannh.*
cyanipennis, *Fabr.*

Paederus, *Fabr.*
ruficollis, *Fabr.*
longicornis, *Aub.*
? sanguinicollis, *Steph.*

Oxyporus, *Fabr.*
maxillosus, *Fabr.*

Bledius, *Curt.*
talpa, *Gyll.*

Anthophagus, *Gr.*
caraboides, *Gr.*

INDEX GENERUM.

PAGE		PAGE		PAGE	
ABDERA	28	Anchomenus	3, 39	Autalia	30
Abræus	13	Ancyrophorus	37	Badister	2
Acalles	19	Anisodactylus	3	Bagous	19
Acalyptus	20	Anisoplia	39	Balaninus	20, 40
Achenium	35	Anisotoma	8	Baptolinus	35
Acidota	37	Anobium	17	Baridius	19
Acilius	6	Anomala	14, 39	Barynotus	21
Acritus	13	Anommatus	12	Barypeithes	21
Acrognathus	37	Anoplodera	24	Batophila	26
Actecharis	30	Anoplus	20	Batrisus	30
Acylophorus	34	Anthaxia	14	Bembidium	4
Adelocera	39	Antherophagus	11	Berosus	7
Adelops	8	Anthicus	29	Blaps	27, 40
Ademonia	25	Anthobium	37	Bledius	36, 40
Adrastus	15	Anthocomus	16, 40	Blethisa	1
Ægialia	14	Anthonomus	20	Bolitobius	33
Æpus	4	Anthophagus	37, 40	Bolitochara	30
Agabus	6	Anthrenus	12, 39	Bolitophagus	28
Agapanthia	23	Anthribus	23	Brachinus	2, 39
Agaricophagus	9	Apate	40	Brachonyx	20
Agathidium	9	Aphanisticus	14	Brachypterus	10
Agelastica	25	Aphodius	13, 39	Brachytarsus	23
Aglenus	11	Aphthona	26, 40	Bradycellus	4
Agrilus	14	Apion	22	Brontes	39
Aagriotes	15	Apoderus	23	Broscus	2
Aleochara	31	Apteropeda	26	Bruchus	23
Alexia	9	Aromia	23	Bryaxis	30
Alophus	21	Arpedium	37	Bryoporus	27
Alphitobius	28	Asclera	29	Byrrhus	13
Alphitophagus	28	Aseum	23	Bythinus	30
Amalus	20	Astrapæus	40	Byturus	11
Amara	3	Astynomus	23		
Annæcius	14	Athous	15	Cæliodes	19
Amphicyllis	9	Atomaria	12	Cænopsis	21
Amphotis	10	Attagenus	12, 39	Calathus	2
Anaspis	29	Attelabus	23		

	PAGE		PAGE		PAGE
Callicerus	31	Corticaria	12	Donacia	24
Callidera	31	Corylophus	9	Dorcatoma	17
Callidium	23, 40	Corymbites	15, 40	Dorcus	13
Callistus	2	Corynetes	17	Drilus	16
Calosoma	1, 39	Coryphium	37	Dromius	2
Calyptomeres	9	Cossonus	18	Dryophilus	17
Campylus	16	Crataræa	31	Dryops	29
Carabus	1, 39	Creophilus	34	Drypta	2
Cardiophorus	15	Crepidodera	25	Dyschirius	1
Carpophilus	10	Crioceris	24	Dytiscus	6
Cassida	26, 40	Cryphalus	18		
Cathormiocerus	40	Cryptarcha	10	Ebæus	40
Cephennium	30	Crypticus	27	Elaphrus	1
Cercus	10	Cryptobium	35	Elenchus	29
Cercyon	8	Cryptocephalus... ..	24, 30	Elleschus	20
Cerophytum	39	Cryptohypnus	15	Elmis	7
Cerylon	11	Cryptophagus	11	Emys	34
Cetonia	14	Cryptopleurum	8	Endomychus	27
Ceuthorhynchideus ..	20	Cryptorhynchus	19	Endophlœus	11
Ceuthorhynchus	19	Cteniopus	28	Engis	27
Chætarthria	7	Cychramus	10	Ennearthron	18
Chilocorus	27	Cychrus	1	Epilachna	27
Chlænienus	2, 39	Cyclonotum	7	Ephistemus	12
Choleva	8	Cymindis	2, 39	Epuræa	10
Choragus	23	Cyphon	16	Erirehinus	20
Chrysomela	25	Cyrtusa	9	Eros	16
Cicindela	1	Cytilus	13	Eubria	16
Cicones	11			Eunectes	6
Cillenum	5	Danacæa	40	Euplectus	30
Cionus	19	Dascillus	16	Euryporus	34
Cis	18	Dasytes	16	Euryusa	31
Cistela	28	Deleaster	37	Eusphalerum	37
Clambus	9	Deliphrum	37	Euthia	30
Claviger	30	Demetrius	2	Evæsthetus	31
Cleonus	21	Dendroctonus	18	Exochomus	27, 40
Clerus	17	Dendrophagus	11		
Clivina	1	Dendrophilus	13	Falagria	30
Clythra	24	Dermestes	12		
Clytus	23	Diachromus	39	Galeruca	25
Cnemidotus	5	Dianous	36	Gastrophysa	25
Cneorhinus	22	Diaperis	28	Georyssus	7
Coccidula	27	Dibolia	26	Geotrupes	14
Coccinella	27	Dichirotrichus	3	Gibbium	17
Colenis	9	Diglossa	33	Gnathocerus	28
Colon	8	Dinarda	31	Gnathoncus	13
Colydium	11	Dinoderus	17	Gnorimus	14
Colymbetes	6	Dinopsis	33	Gonioctena	25
Conipora	17	Diphyllus	11	Gracilia	23
Conopalpus	28	Dircæa	28	Grammoptera	24
Conosoma	33	Ditoma	11	Graptodera	25
Copris	13	Dolichosoma	17	Gronops	21
Coprophilus	37	Dolopius	15	Grypидius	20

	PAGE		PAGE		PAGE
Gymnetron	18	Hypophlœus	28	Lycoperdina.....	27
Gymnusa	33	Hypothenemus	18	Lyctus	17
Gyrinus	6	Hypulus	28	Lymexylon	17
Gyrophæna	33	Ips	10	Lymnæum	4
Habrocerus	33	Ischnoglossa.....	30	Lyperus	25
Hæmonia	24	Laccobius.....	7	Lytta	29
Halictophagus	29	Laccophilus	6	Magdalinus	20
Haliplus	5	Lacon	15	Malachus	16
Hallomenus	28	Læmophlœus	11	Malthinus	16
Halyzia.....	27	Lagriæ	28	Malthodes	16
Haplocnemus	17	Lamia	23	Mantura	26
Haploderus	36	Lamprinus	33	Masoreus	2
Harpalus	3, 39	Lamprosoma	24	Mecinus	18
Hedobia	17	Lampyrus	16	Megapenthes	15
Heledona	28	Larinus.....	21	Megarthus	37
Heliopates	27	Lasioderma	17	Megasternum	8
Helodes	16	Lathricius	12	Megatoma	12
Helophorus	7	Lathrimæum	37	Melandrya	28
Helops	28, 40	Lathrobium	35	Melanotus	15
Hetærius	13	Lebia	2, 39	Melasis	15
Heterocerus	6	Leistotrophus	34	Meligethes	10
Heterothops	34	Leistus	1	Meloe	29
Hippodamia.....	27	Lema	24	Melolontha	14
Hister	13	Leptacinus	35	Mesites.....	18
Holopamecus	12	Leptinus	8	Mesosa	23
Homalium	37	Leptura	24, 40	Metallites.....	22
Homalopia	14	Leptusa	30	Mezium	17
Homalota.....	31	Lesteua.....	37	Micracalymma.....	37
Homœusa.....	31	Leucoparyphus	33	Micraspis	27
Hopatrum	27	Licinus	2	Microrhagus.....	15
Hoplia	14	Limnebius	7	Micropeplus.....	38
Hydaticus	6, 39	Limnichus	13	Microzoum	27
Hydnobius	8	Limnius	6	Micrus	9
Hydræna	7	Limobius	21	Miscodera.....	2
Hydrobius	7	Limonius	15, 40	Mniophila.....	26
Hydrochus	7	Lina	25	Molytes	21
Hydrocyphon	16	Linozosta	25	Monohammus ...	23, 40
Hydronomus	20	Liodes	9	Mononychus.....	19
Hydrophilus.....	7	Liophlœus	21	Monotoma	11
Hydroporus.....	5, 39	Liopus	23	Mordella	29, 40
Hydrous	7	Liosomus	21	Mordellistena	29
Hygronoma	33	Lissodema	28	Morychus.....	13
Hylastes	18	Litargus	12	Mycetæa	12
Hylecætus	17	Lithocharis	35	Mycetocharis	28
Hylesinus.....	18	Litodactylus.....	20	Mycetophagus.....	12
Hylobius	21	Lixus	21	Mycetoporus	34
Hylotrupes	23	Lomechusa	31, 40	Mycterus	40
Hylurgus	18	Loricera	1	Myllæna	33
Hyperaspis	27	Lucanus	13	Myrmecoxenus	12
Hyphydrus	51	Ludius	15	Myrmedonia.....	31
Hypocyptus.....	33			Myrmetes.....	13

	PAGE		PAGE		PAGE
Nacerdes	29	Pachyta	24	Polystichus	2
Nanophyes	18	Pæderus.....	35, 40	Pomatinus	6
Nausibius.....	11	Panagæus.....	2	Poophagus	19
Nebria	1	Paramecosoma.....	12	Pria	10
Necrophorus.....	8	Parnus	6	Prionocyphon	16
Necydalis	24	Paromalus	13	Prionus.....	23
Nemosoma	11	Patrobus	2	Procas	21
Nephanes.....	9	Pediacus	11	Prognatha.....	38
Niptus	17	Pelobius	5	Protinus	37
Nitidula	10	Pelophila	1	Psammodius	14, 39
Nosodendrum	39	Pentarthrum	18	Psammoecus.....	11
Nossidium	9	Perileptus.....	4	Pselaphus.....	30
Noterus	6	Phædon	25	Pseudopsis	38
Notiophilus	1	Phalacrus.....	10	Psylliodes.....	26
Notoxus	29	Phaleria	27	Ptenidium	9
		Philonthus.....	34, 40	Pterostichus.....	3
Oberea	24	Philorinum	37	Pteryx	9
Obrium	23	Philhydrus	7	Ptilinus.....	17
Ocalea	30	Phlæobium	38	Ptilium.....	9
Ochina	17	Phlæocharis.....	38	Ptinella.....	9
Ochthebius	7	Phlæophagus	18	Ptinus	17
Octotemnus	18	Phlæophilus.....	17	Pyrochroa.....	28
Ocypus	34, 40	Phlæophthorus	18	Pytho	29
Ocyusa	31	Phlæopora	33		
Odacantha	2	Phlæotrya	28	Quedius	34
Odontæus.....	14	Phyllobius	21		
Ædemera	29	Phyllobrotica	25	Rhagium	24
Olibrus	10	Phyllopertha	14	Rhamphus	38
Oligota	33	Phyllotreta	26	Rhinocyllus	20
Olisthopus	3	Phytobius.....	20	Rhinomacer	23
Olophrum.....	37	Phytoecia	24	Rhinoncus	19
Omiæ	21	Phytonomus.....	21	Rhinosimus... ..	29
Omophlus.....	28	Phytosus	30	Rhipidophorus.....	29
Omosita	10	Pissodes	20, 40	Rhizobius	27
Onthophagus	13	Placusa.....	33	Rhizopertha	17
Onthophilus.....	13	Platycerus	39	Rhizophagus	11
Oodes	2	Platydema	28	Rhizotrogus	14
Opilus	17	Platyderus	3	Rhopalodontus.....	17
Orchesia	28	Platynaspis	27	Rhynchites	23
Orchestes	20, 40	Platypus	18	Rhyncolus	18
Orectochilus.....	6	Platyrhinus	23	Rhysemus	39
Orobitis.....	19	Platysoma	39		
Orsodacna.....	24	Platysthetus.....	36	Sacium	9
Orthoperus	9	Plectroscelis.....	26	Salpingus... ..	29
Osphya	28	Plegaderus	13	Saperda	23
Othius	35	Plinthus	21	Saprinus	13
Otiorhynchus	21	Pocadius	10	Sarrotrium	11
Oxylæmus.....	11	Podagrica.....	25	Scaphidema	28
Oxypoda	31	Pogonocherus	23	Scaphidium	10
Oxyporus	36, 40	Pogonus	2	Scaphisoma	10
Oxystoma.....	22	Polydrosus	21	Schistoglossa	33
Oxytelus	36	Polyopsia	24	Sciaphilus.....	22

	PAGE		PAGE		PAGE
Scirtes	16	Strophosomus	22	Tomicus	18
Scleropterus	19	Stylops.....	29	Tomoxia	29
Scolytus	18	Styphlus	19	Toxotus.....	24
Scopæus	35	Sunius	35	Trachodes.....	19
Scraptia	29	Symbiotes.....	12	Trachyphlœus	21
Scydmanus	30	Synaptus	15	Trachys.....	15
Scymnus	27, 40	Syncalypta	13	Trechus.....	4
Serica	14	Synchita	11	Tribolium.....	28
Sericoderus	9	Syntomium	37	Trichius	14
Sericosomus	15	Tachinus	33	Trichodes	40
Sibynes.....	20	Tachyporus	33	Trichonyx.....	30
Silis	16	Tachypus	5	Trichophya	33
Silpha	8	Tachys	4	Trichopteryx	9
Silusa	30	Tachyusa	31	Trimium	30
Silvanus	11	Tanymecus	22	Trinodes	13
Simplocaria	13	Tanysphyrus	21	Triphyllus.....	12
Sinodendron.....	13	Taphria.....	3	Triplax	27, 40
Sitaris	29	Tapinotus.....	19	Tritoma	27
Sitones	22	Tarsostenus	40	Trogophlœus	37
Sitophilus	18	Telephorus	16	Trogosita	11
Smicronyx	20	Telmatophilus	11	Tropideres	23
Soronia	10	Tenebrio	28	Tropiphorus.....	21
Spercheus.....	7	Teredus	11	Trox	14
Sphæridium	7	Teretrius	13	Tychius.....	20
Sphærites	8	Tetratoma	28	Tychus	30
Sphærius	9	Thalycra	10	Typhæa.....	12
Sphæroderma	26	Thiasophila	31	Uloma	28
Sphindus	17	Thinobius.....	37	Xantholinus.....	35
Sphodrus	2	Throscus	15	Xyletinus.....	17
Staphylinus	34	Thyamis	26	Xyloterus.....	18
Stenolophus	4	Thymalus	11	Zabrus	3
Stenostola.....	24	Tillus.....	17	Zeugophora	24
Stenus	36	Timarcha	25		
Stilicis	35	Tiresias.....	12		
Stomis	3				
Strangalia	24, 40				

Cambridge :

PRINTED FOR THE AUTHOR BY C. J. CLAY, M.A.
AT THE UNIVERSITY PRESS.

Cambridge :

PRINTED FOR THE AUTHOR BY C. J. CLAY, M.A.
AT THE UNIVERSITY PRESS.